

1) LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Kearny		E 1/4 W 1/4 SE 1/4		14		T 25S S		R 35W E/W	
Distance and direction from nearest town or city street address of well if located within city?									
7 1/2 miles S of Deerfield, KS--									
2) WATER WELL OWNER:		McCoy Petroleum				#3-14 Campbell Trust			
RR#, St. Address, Box # :		110 S Main, Ste. 500				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :		Wichita, KS 67202				Application Number: 920440			
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4) DEPTH OF COMPLETED WELL: 280 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 140 ft. below land surface measured on mo/day/yr 03-23-93							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter in. to ft., and in. to ft.							
5) TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped							
1 Steel		3 RMP (SR)		6 Asbestos-Cement		9 Other (specify below)		Welded	
2 PVC		4 ABS		7 Fiberglass				Threaded	
Blank casing diameter 5 in. to ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 5 ft. below in., weight lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.									
6) GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 8 ft. to 5 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well							
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? Southwest		How many feet? 120							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
		280 100 Chlorinated Gravel							
		100 90 Bentonite Grout							
		90 28 Chlorinated Gravel							
		28 8 Bentonite Grout							
		8 5 Cement Grout							
		5 0 Backfill							
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 03-23-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWWCL-430 This Water Well Record was completed on (mo/day/yr) 03-23-93 under the business name of Howard Drlg.Co. Box 806 Beaver, OK 73932 by (signature) Howard Drlg.Co.									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									