


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Kearny	Fraction NE 1/4 SW 1/4 NE 1/4	Section number 16	Township number T 25 S	Range number R 35 W
2. Distance and direction from nearest town or city: Approx. 6 south- west of Deerfield on the river rd., 2 1/2 south, 1/4 west.				3. Owner of well: Brad Tate R.R. or street: Lakin, Ks. 67860 City, state, zip code:		
4. Locate with "X" in section below: 				Sketch map:		
5. Type and color of material				6. Bore hole dia. 9 7/8 in. Completion date 8-31-76 Well depth 334 ft.		
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material steel Height: Above surface Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 12 lbs./ft. Dia. 6 5/8 in. to 335 ft. depth Wall thickness: inches or Dia. 1 in. to 335 ft. depth gage No. 219		
				10. Screen: Manufacturer's name NO SCREEN Type NO SCREEN Dia. NO SCREEN Slot/gauze NO SCREEN Length NO SCREEN Set between NO SCREEN ft. and NO SCREEN ft. Perf: 294-334 ft. and NO SCREEN ft. Gravel pack? yes Size range of material 1/4" down		
				11. Static water level: 100 ft. below land surface Date 8-7-76 mo./day/yr.		
				12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield ____ g.p.m.		
				13. Water sample submitted: X Yes <input type="checkbox"/> No Date 8-10-76 mo./day/yr.		
				14. Well head completion: 12 inches above grade ____ Pitless adapter		
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
16. Nearest source of possible contamination: ft. ____ Direction ____ Type ____ Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ____ Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
(Use a second sheet if needed)						
18. Elevation: Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter-Wilson Drilling Co. 208 Business name License No. 208 Address Box A Garden City, Ks. Signed [Signature] Date 5-13-77 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

In
Professionals

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing.

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

DEAD DATE
7-21-76

NE 1/4 16-25-35

Location: NE 1/4 16-25-35 from headquarters, 2 1/2 south, 1/2 west,
100 Yds. north

Static Water Level-

Test #

0	9	Top soil
9	82	Fine to med. sand and gravel Loose
82	90	Gray clay
90	113	Fine to med. sand and gravel some coarse Gravel
113	153	Blue and gray clay
153	175	Fine to med. sand and gravel stks. of clay 25'
175	218	Fine to med. sand and gravel Loose
218	239	Fine to med. sand and gravel stks. of clay 10'
239	296	Brown sandy clay
296	334	Fine to med. sand and gravel Loose stks. of clay 1
334	340	Brown clay

T.D. 334 TD 334
40' 6 5/8" perf. steel
294' 6 5/8" plain steel