USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY:

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Fraction		number	Township number	Range number	
1. Location of well:	KEARNY	N. 1/4 SE 1/4 N			16	1 25 s	r 35	₽/w
hadro at I	ction from nearest town or city: Ac Deemfield 1 east 7 Hocation if in city 3/4 nort	7 couth 3 3/h tree	CR.R. or	er of well street:	. ir:	iple T Farms ircle #16-1) kin,Ks. 67860		
4. Locate with "X"	in section below:	Sketch map:	City, st	ate, zip o	:ode: 1121.	6. Bore hole dia. 26 in Well depth 375 ft.	. Completion date _	11-3 0-75
NW	NE					7 Cable tool Rotary Hollow rod Jetted	Bored 🔀 Reve	erse rotary
w Wile	E					Lawn O	ir conditioning St il field water O	ock ther
						9. Casing: Material Stranger Threaded Welded X	iSurface12 :Weight2687	in. lbs./ft.
5. Type and color of	ile			From	То	Dia. 16 . 16 . 16 dep Dia. 10 . 10 . 16 dep 10 . Screen: Manufacturer's JOHNSON		7 mA
						Type Glav/ Slot/gouze100	Dia. <u>1611</u> LengtRQ!	
				1	erf.	Set between 275 125-170, 178 775 Gravel pack? <u>Ves</u> Size ro	08 <u>295-315</u>	<u>. 3</u> 45–37 Down
						11. Static water level:67ft. below land su	rface Date <u>12</u> -	./day/yr.
						12. Pumping level below lan	hrs.pumping ——	_ g.p.m.
						Estimated maximum yield — 13. Water sample submitted:		g.p.m. ./day/yr.
						14. Well head completion: Pitless adapter	12 Inches above	grade
						15. Well grouted? yes With: Neat cement Depth: From Depth: ft. to	Bentoni te X 10_ ft.	
		,				16. Nearest source of possible ft Direction Well disinfected upon complete.	Туре	N/A No
						17. Pump: Manufacturer's name <u>GOU</u> Model number <u>K2151</u>	Not installed 11 ds US Pum HP_100 Vo	
						Length of drop pipe 160 Type:	ft. capacity]2() @.p.m. (
	(Use a secon	nd sheet if needed)				Submersible Jet Centrifugal	_X Turbin Recipr Other	ocating S
18. Elevation:	19. Remarks:				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Topography: Hill Slope	JAN 1978 Winter Wilson Drilling Business remoon Box Abarden City Address						208 =	
Upland Valley		/ L	SAS GEO IRVEY - Vator Se	OLOGICA Ground		Signed Authorized re		\$ 2
Forward the white, bl	ue and pink copies to the Departmo	ent of Health and Environment	222	ZMR)			Form W	NC-5

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Triple T. Farms Kearny County 10-6-75

Location: NW 16-25-35

Circle 16-1 Pivot

Test # 2

	20 52 63	Fine Sand Med. to Coarse Gravel (Loose) Brown Clay
	86	Fine to Med. Sand & Gravel (Loose)
	95	Fine to Med. Sand & Gravel, 15% Clay (Loose)
	123	Brown Clay
123	158	Fine to Med. Sand & Gravel (Loose)
	170	Fine to Med. Sand & Gravel, 10% Clay (Loose)
	176	Brown Sandy Clay
	185	Fine to Med. Sand & Fine Gravel, 10% Clay (Loose)
	208	Fine to Med. Sand & Gravel (Loose)
	215	Brown Clay & White Rock (Tight)
	232	Brown Sandy Clay, Small Streaks of Gravel 20%
	264	Brown SandyClay
	275	Fine to Med. Sand & Fine Gravel, 20% Clay (Loose)
	323	Fine to Med. Sand & Gravel (Loose)
	350	Brown Sandy Clay
	3 75	Fine to Med. Sand & Fine Gravel, 10% Clay (Loose)
375	380	Brown & Gray Clay
	396	Brown, Gray & Yellow Clay with Brown Rock (Hard)
396	400	Shale (Hard)