CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

Kearny County: Location listed as: Location changed to: Section-Township-Range: Fraction (1/4 1/4 1/4): Other changes: Initial statements: Country was listed as Seusaid plugging date was listed as 4-15-88, prior to & construction: test. Comments: 1 sumship was chanced to 35 South on Lown - sho verification method: -date: 5-29-20

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

ocation of wanty: Seward	ATER WELL:	Frankin.							
WAEMOS "THE		Fraction			Section Number	Township	Number	Range Num	nber _
		SW 1/4	NE 1/4	NW 1/4	20	Т	ॐ s	R 35	E/W)
	n from nearest town	•	ss of well if loo	cated within ci	ty?				
	East of Laki								
WATER WELL O	wner:Camel 14	-1	Murfin D	rilling					
#, St. Address, B	lox # :		Box 661	J		Board of	Agriculture, D	Division of Water I	Resources
, State, ZIP Code	9 :			S		Applicati	on Number:	T88-249	
	LOCATION WITH 4	DEPTH OF COMP	LETED WELL	240	ft. ELEVA	TION:			
[VELL'S STATIC WA							
l i x	1 1 1'								
NW	NE _				ft. a				
		st. Yield							
w !		Bore Hole Diameter.						to	ft.
	!	VELL WATER TO B				8 Air conditioning	•	Injection well	
_ sw	-	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12 (Other (Specify be	low)
l ï	1 ;;	2 Irrigation			nd garden only				
<u> </u>	<u> </u>	Vas a chemical/bacte	riological samp	ole submitted	to Department? Ye	sNo	; If yes,	mo/day/yr sample	was sub
	S m	nitted			Wa	ter Well Disinfed	ted? Yes	No	
TYPE OF BLANK	CASING USED:	5 V	Vrought iron	8 C	oncrete tile	CASING J	OINTS: Glued	I Clamped	1
1 Steel	3 RMP (SR)	6 A	Asbestos-Ceme	ent 9 Of	her (specify below	v)	Welde	ed	
2 PVC	4 ABS		Fiberglass			•		ded	
	er5 in								
	land surface								
	OR PERFORATION		weight						
					PVC		sbestos-ceme		
1 Steel	3 Stainless s		iberglass		RMP (SR)				• • • • • •
2 Brass	4 Galvanized		Concrete tile	9	ABS	12 N	one used (op	en hole)	
REEN OR PERFO	DRATION OPENING		5 G	auzed wrappe	d	8 Saw cut		11 None (open	hole)
1 Continuous s	slot 3 Mill	slot	6 W	ire wrapped		9 Drilled hole:	S		
2 Louvered shu	utter 4 Key			orch cut					
REEN-PERFORA	TED INTERVALS:	From 140	ft. to	o240	ft., From	n	ft. to	o	ft.
		From	4 4						
		From	π. τα	0	ft. From	n	ft. to)	.ft .
GRAVEL P	ACK INTERVALS:				ft., From				
GRAVEL P	ACK INTERVALS:	From	ft. to	0	ft., From	n	ft. to	.	
		From	ft. to	o	ft., From	n	ft. to)	ft. ft.
GROUT MATERIA	AL: 1 Neat ce	FromFrom 2 Ce	ft. to	o	ft., Froi ft., Froi entonite 4	n	ft. to)	ft. <u>ft.</u>
GROUT MATERIA	AL: 1 Neat cer	From	ft. to	o	ft., Froi ft., Froi ft., Froi entonite ft. to	n	ft. to	o	ft. ft.
GROUT MATERIA out Intervals: Fr	AL: 1 Neat ceromft	From	ft. to ft. to ement grout ft., From	0	ft., Froi ft., Froi entonite 4 ft. to	n Other ft., From tock pens	ft. to	o	ft. ft.
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank	AL: 1 Neat cerom	From From ment 2 Ce to ontamination:	ft. to ft. to ft. to ft., from ft., From ft., From	3 B	ft., Froi ft., Froi entonite 4 ft. to	n Other	ft. to ft. to	oft. to	
GROUT MATERIA out Intervals: Fr at is the nearest : 1 Septic tank 2 Sewer lines	AL: 1 Neat cerom	From From ment 2 Ce to contamination: lines	ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n	ft. to ft. to	o	
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	AL: 1 Neat cerom	From From ment 2 Ce to contamination: lines	ft. to ft. to ft. to ft., from ft., From ft., From	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	oft. to	
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	AL: 1 Neat cerom	From	ft. to ft. to ft. to ft. to ft., From ft., From Fit privy Seedyard	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO	AL: 1 Neat cerom	From	ft. to ft. to ft. to ft. to ft., From ft., From Fit privy Sewage Feedyard	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115	AL: 1 Neat cerom	From	ft. to ft. to ft. to ft. to ft., From ft., From ft., From Frivy Freedyard C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft. ft. ft. vell
GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105	AL: 1 Neat cerom	From	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft.
GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft.
GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 115 15 105 05 23	AL: 1 Neat cerom	From	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft.
GROUT MATERIA tut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft. ft. ft. vell
GROUT MATERIA tut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se totion from well? 30M TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft. ft. ft. vell
GROUT MATERIA tut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft.
GROUT MATERIA tut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se totion from well? 30M TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft.
GROUT MATERIA tut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft.
GROUT MATERIA tut Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft.
GROUT MATERIA tut Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft. ft. ft. vell
GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft.
GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft. ft.
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3	AL: 1 Neat cerom	From	rement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard C.F. C.F.	3 B	ft., Froi ft., Froi ft., Froi entonite 4 ft. to	n Other	14 Al 15 O	o	ft. ft.
GROUT MATERIA out Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 40 115 15 105 05 23 23 3 3 0	AL: 1 Neat cerom	From	rt. to ft.	agoon d FROI	tt., From ft., F	n Other	14 Al 15 O	o	ft. ft. ft. vell
GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 140 115 15 105 05 23 23 3 3 0 CONTRACTOR'S	AL: 1 Neat cerom	From	rhis water we	lagoon d FROI	tt., From tt., F	n Other	14 Al 15 O 16 O LITHOLOG	on the to the control of the control	ft. ftft. well w)
GROUT MATERIA tut Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? 30M TO 40 115 15 105 05 23 23 3 3 0	AL: 1 Neat cerom	From	rt. to ft.	lagoon d FROI	entonite 4 ft. to	n Other	14 AI 15 O 16 O LITHOLOG	one of the control of	ft. ftft. well w)
GROUT MATERIA tut Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se tection from well? 30M TO 40 115 15 105 05 23 23 3 3 0 CONTRACTOR'S epleted on (mo/da	AL: 1 Neat cerom	From	rt. to ft.	lagoon d FROI	entonite 4 ft. to	n Other	14 AI 15 O 16 O LITHOLOG	one of the control of	ft. ftft. well w)
CONTRACTOR'S pleted on (mo/da er Well Contractor)	AL: 1 Neat cerom	From From ment 2 Ce to contamination: lines sool ge pit LITHOLOGIC LOG 34 2.77 22 5.44 S CERTIFICATION: 88	rhis water we	lagoon d FROI	tt., From tt., F	n Other	14 AI 15 O 16 O LITHOLOG	one of the control of	ft. ftft. well w)

records.