USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEAREY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County Fraction			Section number		Township number Range number				
	Kearny	NE/4 SE 1/4 SE	SE 1/4 SE 1/4			_T 25 s	_R 35	₩.		
2. Distance and direction from nearest town or city: 1 south, ½ east 7½ south 3/4 east of Deerfield Street address of well location if in city:			3. Owner of well: R.R. or street: City, state, zip code:			Brad Tate Lakin, KS 67860				
4. Locate with "X" in section below: Sketch map:					.oue:	6. Bore hole dia. stee1 12-13-6 Well depth 396 ft				
- NW NE						7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary				
Mile Mile				8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other						
SW SE -X SE -X						9. Casing: Material <u>Stee</u> Height: Above or below Threaded Welded X Surface 12 in. RMP PVC Weight 36.87 lbs./ft.				
1 1 M						Dia. 16 in. to 397tt. depth Wall Thickness: inches or				
5. Type and color of material				From	То	Dia in. to ft. depth gage No 10. Screen: Manufacturer's name				
						Type <u>Galv</u> Slot/gauze	_ Length201			
						Set between 350 Pef: 140-360ft. c Gravel pack? <u>ye</u> Size ra	and 380-396 ,	ft. i' Dovn		
						11. Static water level: 90 ft. below land sur		./day/yr. •976		
						12. Pumping level below land 120 ft. after _3 t	nrs. pumping 1500			
						Estimated maximum yield	1500	_ g.p.m. _ g.p.m. ./day/yr.		
		1, 12,11		<u> </u>		·	Date	., ddy, y, .		
						Pitless adapter	2 Inches above	grade		
						15. Well grouted? <u>VES</u> With: Neat cement Depth: From ft. to .	Bentonite	Concrete 7		
						16. Nearest source of possible	e contamination:	Bunc		
	·					Well disinfected upon comple		<u>~~</u> N₀ (√		
						Manufacturer's name Goul Model number 76558		mps		
						Length of drop pipe 160	ft. capacity1000	Og.p.m.		
				<u></u>		Submersible	<u>X</u> Turbine Recipro	1 10		
r	(Use a second s	heet if needed)		<u> </u>		Centrifugal	Other	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		
18. Elevation:	19. Remarks:					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report				
Topography:							is true to the best of my knowledge and belief. Minter Wilson Drilling 208 Business name License No.			
X Slope						Business name Box A Ga	rdem City,	で (- マイフ)		
Valley						Authorized rep	resentorive			

MINTER-WILSON DRILLING CO. Complete Installation and Repairing

Irrigation and Domestic

Phone 276-8269

P.O. Box 493 • GARDEN CITY, KANSAS 67846

TATE

KEARNY COUNTY

10-29-76

Location: SEk 24-25-35 8k mile south of river road on Deerfield lane 3/4 east 1/2 north

Static Water Level- 801

Test	<i>‡</i> 4	
0	32	Fine sand
32	6 6	Fine to med. sand and gravel
66	80	Brown sandy clay
80	89	Fine to med. sand and gravel
39	141	Brown sandy clay
141	174	ine to med. sand and gravel
134	2 12	Blue clay
212	305	Fine to med. sand and gravel
305	336	Brown sandy cly
336	381	Fine to med. sand and gravel
381	396	Fine to med. sand and gravel 10% clay
396	442	Brown sandy clay
442	449	Brown yellow clay and brown rock
449	455	Shale

T.D. 396

140' Plain

220' Perf

20' Screen

16' Perf