


1 LOCATION OF WATER WELL: Fraction NE 1/4 NW 1/4 NE 1/4 Section Number 2 Township Number T 25 S Range Number R 35 EW  
 County: Kearny

Distance and direction from nearest town or city street address of well if located within city?  
From Deerfield, 1/2 mile east, Smiles south, then 3/4 mile west.

2 WATER WELL OWNER: Kenneth Enze  
 RR#, St. Address, Box #: RFD Box 17C Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Deerfield, KS. 67838 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 351 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. .... ft. 2. .... ft. 3. .... ft.  
 WELL'S STATIC WATER LEVEL: 137 ft. below land surface measured on mo/day/yr 1-22-98  
 Pump test data: Well water was .... ft. after .... hours pumping .... gpm  
 Est. Yield .... gpm: Well water was .... ft. after .... hours pumping .... gpm  
 Bore Hole Diameter: 9 7/8 in. to 351 ft., and .... in. to .... ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic  3 Feedlot  6 Oil field water supply  9 Dewatering  12 Other (Specify below)  
 2 Irrigation  4 Industrial  7 Lawn and garden only  10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes.....No.  ..... If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel  3 RMP (SR)  5 Wrought iron  8 Concrete tile CASING JOINTS: Glued  Clamped  
 2 PVC  4 ABS  7 Fiberglass  9 Other (specify below) Welded  
 Blank casing diameter 5 in. to 311 ft., Dia. .... in. to .... ft., Dia. .... in. to .... ft.  
 Casing height above land surface: 12 in., weight .... lbs./ft. Wall thickness or gauge No. SDR 21  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel  3 Stainless steel  5 Fiberglass  8 RMP (SR)  10 Asbestos-cement  
 2 Brass  4 Galvanized steel  6 Concrete tile  9 ABS  12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot  3 Mill slot  5 Gauzed wrapped  8 Saw cut  11 None (open hole)  
 2 Louvered shutter  4 Key punched  6 Wire wrapped  9 Drilled holes  
 7 Torch cut  10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 311 ft. to 351 ft., From .... ft. to .... ft.  
 GRAVEL PACK INTERVALS: From 24 ft. to 290 ft., From 310 ft. to 351 ft.

6 GROUT MATERIAL:  1 Neat cement  2 Cement grout  3 Bentonite  4 Other  
 Grout Intervals: From 4 ft. to 24 ft., From 290 ft. to 310 ft., From .... ft. to .... ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank  4 Lateral lines  7 Pit privy  10 Livestock pens  14 Abandoned water well  
 2 Sewer lines  5 Cess pool  8 Sewage lagoon  11 Fuel storage  15 Oil well/Gas well  
 3 Watertight sewer lines  6 Seepage pit  9 Feedyard  12 Fertilizer storage  16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? Southwest How many feet? 450

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Sandy Topsoil	234	240	Blue sandy clay
2	30	Fine sand	240	246	Med. sand
30	32	Brown clay	246	282	Course sand
32	80	Course sand	282	300	Blue clay
80	98	Brown sandy clay	300	304	Med. sand
98	130	Med. - course sand	304	312	Brown sandy clay
130	132	Brown clay	312	324	Brown clay
132	148	Med. sand & sandrock ledges	324	328	Med. sand
148	155	Course sand	328	340	Brown sandy clay
155	165	Brown clay	340	350	Course sand
165	170	Med. sand	350	360	Yellow clay & limestone ledges
170	184	Blue clay	360		Shale
184	200	Med. sand & brown sandy clay layers			
200	230	Course sand			
230	234	Fine sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  (1) constructed  (2) reconstructed, or  (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-22-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 533 This Water Well Record was completed on (mo/day/yr) 3-18-98 under the business name of Santzen Water Well Repair by (signature) [Signature]

OFFICE USE ONLY T R EW SEC. 1/4 1/4 1/4