

WATER WELL RECORD

Form WWC-5

1155678

Division of Water
Resources App. No.

[]

Well ID

[]

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL:

County:

Fraction

1/4 1/4 1/4 1/4

Section Number

Township Number

T S

Range Number

R [] E [] W

2 WELL OWNER: Last Name:

Business:

Address:

Address:

City:

State:


ZIP:

First:

Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:

3 LOCATE WELL WITH "X" IN SECTION BOX:

N



S

-----1 mile-----

4 DEPTH OF COMPLETED WELL: ft.

Depth(s) Groundwater Encountered: 1) ft.

2) ft. 3) ft., or 4) Dry Well

WELL'S STATIC WATER LEVEL: ft.

below land surface, measured on (mo-day-yr).....

above land surface, measured on (mo-day-yr).....

Pump test data: Well water was ft.

after hours pumping gpm

Well water was ft.

after hours pumping gpm

Estimated Yield:gpm

Bore Hole Diameter: in. to ft. and

..... in. to ft.

5 Latitude:(decimal degrees)

Longitude:(decimal degrees)

Datum: WGS 84 NAD 83 NAD 27

Source for Latitude/Longitude:

GPS (unit make/model:)

(WAAS enabled? Yes No)

Land Survey Topographic Map

Online Mapper:

6 Elevation:ft. Ground Level TOC

Source: Land Survey GPS Topographic Map

Other

7 WELL WATER TO BE USED AS:

1. Domestic:

- Household
- Lawn & Garden
- Livestock

2. Irrigation

3. Feedlot

4. Industrial

5. Public Water Supply: well ID

6. Dewatering: how many wells?

7. Aquifer Recharge: well ID

8. Monitoring: well ID

9. Environmental Remediation: well ID

Air Sparge Soil Vapor Extraction

Recovery Injection

10. Oil Field Water Supply: lease

11. Test Hole: well ID

Cased Uncased Geotechnical

12. Geothermal: how many bores?

a) Closed Loop Horizontal Vertical

b) Open Loop Surface Discharge Inj. of Water

13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.

Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

- Steel Stainless Steel Fiberglass PVC Other (Specify)
- Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

- Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
- Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.

Nearest source of possible contamination:

- Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
- Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
- Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
- Other (Specify)

Direction from well? Distance from well? ft.

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year) under the business name of

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.

Visit us at <http://www.kdheks.gov/waterwell/index.html>

KSA 82a-1212

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1155678

Litholgy

From	To	LithologicLog
0	65	Top soild & Sand , Gravel
65	80	Brown & White Sandy Clay
80	100	Brown sandy clay
100	120	sand med with clay streaks
120	140	sand medium to coarse
140	160	sand and gravel little clay
160	194	sand fine to medium
194	208	gray clay
208	220	sand medium to coarse
220	244	sand and clay mix
244	247	cliche
247	264	sand medium little cliche
264	280	clay
280	300	brown clay
300	346	brown clay little cliche
346	389	sand medium little clay
389	400	cliche and sand
400	408	fine sand little clay
408	420	brown sandstone lillte clay
420	460	brown sandstone little cliche and clay took water
460	480	brown rock little cliche and clay
480	500	brown rock little cliche hard

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1155678

Litholgy

From	To	LithologicLog
500	516	brown and gray clay little sandstone hard
516	520	sandstone
520	530	sandstone & gray clay
530	540	gray shale little sandstone
540	546	sandstone
546	552	brown clay
552	554	hard hard rock