

N			ECORD	-	WWC-5 1313			ion of Wate				
1	Original Record Correction Chang						ion Number Township Number Range Number			ga Numbar		
1	County:				Section Number			el	T S R \square E \square W			
2	WELL OWNER: Last Name: Business: Address:			First:	Street or Rural Address where well is located (if unknown, dist direction from nearest town or intersection): If at owner's address, check			distance and				
	Address: City:			State:	ZIP:							
3												
-	WITH "	WITH "X" IN 4 DEPTH OF COM			IPLETED WELL: ft. Encountered: 1) ft.			5 Latitude:				
					ft., or 4) \Box Dry Well				Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27			
1			WELL'S STATIC WATER LEVEL:							Latitude/Longitude:		110 27
	I	X	below land surface, measured on (mo-day-yr)									
	NW	NE		D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.								
W		E	-	after								
	SW	SE	- f t	Well water was ft. after hours pumping g								
			Estimated Y						6 Elevation:ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map			
		S			01							
	1 n	1			in. to	ft.				Other		
	WELL V Domestic:) BE USED A		tor Supply, wall ID				i Ea	d Watar Supply: las		
	Domestic:5. □ Public Water Supply: well ID□ Household6. □ Dewatering: how many wells?											
	🗌 Lawn &	& Garden	7. 🗖	Aquifer Re	echarge: well ID		Cased Uncased Geotechnical				1	
	Livesto				g: well ID					al: how many bores?		
	☐ Irrigati ☐ Feedlor			Air Sparge	al Remediation: well II e D Soil Vapor I			a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water				
	Industr			Recovery						specify):		
W	as a chei	nical/bacte	riological san	ple subm	itted to KDHE?	Yes 🔲	No 1	If yes, dat	e san	ple was submitted	l:	
		disinfected?										
					C							1 🗌 Threaded
					Diameter . Weight							
			R PERFORAT							or gauge rior mini		
	Steel		nless Steel	☐ Fiber				🗌 Otl	her (S	pecify)		
50	Brass		vanized Steel			sed (open	hole)					
SC		uous Slot	☐ Mill Slot			orch Cut	🗆 Dri	lled Holes		Other (Specify)		
	Louve	red Shutter	Key Punch	ed 🗌 W	ire Wrapped 🛛 🗌 Sa	w Cut	🗌 Noi	ne (Open H	Hole)			
SC					1 ft. to							
0					n ft. to Cement grout 🛛 🗍 Be							
					. ft., From							
Ne	arest sou	rce of possib	le contaminatio	on:								
	☐ Septic ′ □ Sewer I			ateral Line Cess Pool	s 🗌 Pit Privy 🗌 Sewage Lag	200 n		ivestock Pe uel Storage		☐ Insectici ☐ Abandor		
					☐ Sewage Lag	goon		ertilizer Sto				wen
	Other (Specify)							-			
	Direction from well? Distance from well 10 FROM TO LITHOLOGIC LOG			ell? FROI		ТО			ft. (cont.) or PLUGGING INTERVALS			
10	FKOM	TO	L	THOLOG	SIC LUG	FRUI	vi	10	LII	HO. LOG (cont.) of	PLUGGIN	GINTERVALS
						Notes	:					
14	CONT							11	_	u adma ad 1		
	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Ka	Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)											
	under the business name of											
I	KS Departn				ELL OWNER and retain of Vater, Geology Section, 10							785-296-3565.
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1313387

Litholgy

From	То	LithologicLog
0	2	top soil
2	13	fine sand
13	17	brown clay
17	20	fine sand
20	83	sand fine to med coarse small med large gravel
83	87	brown sandy clay
87	95	sand fine to med coarse small med gravel
95	106	brown clay
106	138	sand fine to med coarse small gravel
138	140	light blue clay
140	147	sand fine to med coarse
147	154	blue clay w/ few sand strips
154	160	sand fine to med coarse
160	167	brown clay
167	188	sand fine to med coarse
188	201	brown & blue clay
201	229	sand fine to med coarse w/ few clay stringers
229	253	brown sandy clay w/ few sand strips
253	260	brown sandy clay w/ many coarse sand strips

Form	WWC5					
Contractor	Hydro Resources Mid Continent, Inc.					
Well Owner						
Doc ID	1313387					

Litholgy

From	То	LithologicLog
260	270	sand fine to med few coarse w/ few clay stringers
270	280	brown sandy clay
280	301	sand fine few med w/ few clay stringers
301	312	sand fine to med some coarse
312	322	fine sand w/ few clay ledges
322	336	sand fine to med coarse w/ brown & tan rock
336	345	brown sandy clay
345	354	fine sand
354	387	sand fine to med w/ some clay stringers
387	390	soapstone
390	407	sandstone w/ few soapstone strips
407	418	soapstone w/ few sandstone strips
418	434	sandstone
434	450	shale