KOLAR Document ID: 1527304

	WELL R	ECORD Correction		WWC-5				ion of Waterces App. N] Well I	_ [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					ection Number Township Number					ge Number			
County: 14 14 14					30011	T S R DE DW							
					Street or	reet or Rural Address where well is located (if unknown, distance and							
			direction fro	irection from nearest town or intersection): If at owner's address, check here:									
Address: Address:	Address:												
City:			State:	ZIP:									
3 LOCATI	E WELL				L								
WITH "				IPLETED W			. ft.						
SECTIO	N BOX:			Encountered: 1						e:			
N	ſ			8) ft., TER LEVEL: .							AD 27		
				measured on (Source for Latitude/Longitude.				,		
NW	X _{NF} .			measured on (
	i l	Pump test d	ata: Well w	ater was	1	ft.	☐ Land Survey ☐ Topographic Map						
w	E	after		pumping		gpm ☐ Online Mapper:							
SW	SE	-6		ater was									
	ī	Estimated Y		pumping		6 Elevation:			ı:ft	. □ Gro	und	Level ☐ TOC	
				gpm in. to ft. and				Source: Land Survey GPS .					
1 m				in. to .						Other			
7 WELL V	VATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: we						eld Water Supply: 16			
Househ				g: how many y							••••		
☐ Lawn &				echarge: well I									
Livesto 2. Irrigation				g: well ID									
3. ☐ Feedlot] Air Sparge	l Remediation: well ID			•••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wate					
4. ☐ Industr			Recovery	☐ Inje	_			13. Other (specify):					
Was a cher	nical/bacter	iological san	nple subm	itted to KDF	HE? □	Yes □ N	lo I			mple was submitte			
	disinfected?				Ш	140 🗀 1		1) 05, auc		inpre was securious			
				C Other		CA	SINC	G JOINTS	: <u> </u>	Glued Clamped	d 🗌 We	lded	☐ Threaded
										in. to			
	t above land s					lbs./	ft.	Wall thick	cness	s or gauge No		• • •	
	CREEN OR		ΓΙΟΝ MA										
Steel		less Steel anized Steel			PVC	17 1	1.	∐ Oth	ner (Specify)		• • • • •	
☐ Brass	R PERFOR		NINGS AI] None t	ised (open l	101e)						
☐ Contin		☐ Mill Slot		auze Wrapped	□т	orch Cut	7 Dri	lled Holes	П	Other (Specify)			
		☐ Key Puncl						ne (Open H					
SCREEN-P	ERFORATE	D INTERV	ALS: From	1 ft. t	o					ft., From	ft	. to .	ft.
GI	RAVEL PAC	K INTERV	ALS: Fron	1 ft. t	о	ft., Fro	m	ft. to	0	ft., From	ft	. to	ft.
GRAVEL PACK INTERVALS: From													
Grout Intervals: From													
									n c	□ Incoati	aida Star	.0.00	
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well													
	☐ Watertight Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned water well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well												
Other (Specify)													
Direction from well? Distance from well? ft.													
10 FROM	TO	I	LITHOLO(GIC LOG		FROM	[TO	LIT	HO. LOG (cont.) or	r PLUGC	iNC	INTERVALS
											-		
				-		Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wat	ter Well Con	tractor's Lice	ense No		This W	ater Well I	Reco	rd was cor	nple	eted on (mo-day-y	ear)		
under the business name of													
No.D	Some of II- 141	Send one copy to	WATER W	ELL OWNER as	nd retain	one for your	record	ls. Fee of \$5	5.00 f	for each constructed we	ell.	_ <u></u>	795 207 2575
-	ent of Health ar tp://www.kdhek			vater, Geology S	ection, 10	JUU SW JACK	son St	., Suite 420,	rope	eka, Kansas 66612-136			/85-296-3565. A 82a-1212
1	1											_~~	- ··

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1527304

Lithology

From	То	LithologicLog
0	20	TOPSOIL & F/M/C SAND
20	100	F/M/C GRAVEL, F. SAND
100	110	SANDY CLAY
110	120	SANDY SILTY CLAY
120	172	SANDY B. CLAY W/ TR. F/M/C GRAVEL
172	207	M/C SAND, F/M/C GRAVEL
207	220	BLUE CLAY
220	265	M/C SAND & F/M/C GRAVEL W/ LIME ROCK
265	280	F/M/C SAND
280	297	SANDY CLAY W/ LIMEROCK
297	328	F/M/C SAND
328	390	M/C SAND, FINE GRAVEL & TR MED GRAVEL
390	420	SANDY CLAY, CLAY
420	446	SILTY SAND CLAY, T. FINE SAND (LENSES)
446	455	BR. ROCK, SS, FINE SAND
455	477	BR. CLAY
477	482	FINE, TR. MED SAND
482	498	SHALE
498	504	SAND, SANDSTONE
504	512	SHALE
512	611	BR. ROCK, SS, FINE SAND

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1527304

Lithology

From	То	LithologicLog
611	622	SHALE
622	640	FINE SAND
640	650	SHALE