KOLAR Document ID: 1530427

	WELL R			WWC-5		vision of Wa				
		Correction		te in Well Use		ources App.		Township Numb	Well ID	ao Numbor
1 LOCATION OF WATER WELL: County:Fraction1/41/4					Section Number Township Number Range Number					
						$1/4$ TSR \Box EWtreet or Rural Address where well is located (if unknown, distance and				
Business:		ast Ivallie.				direction from nearest town or intersection): If at owner's address, check here:				
Address:					uncetion nom	neurost to wir (or meet	section). If at o when	s address,	
Address:										
City:		1	State:	ZIP:		1				
3 LOCAT		4 DEPTH	OF COM	IPLETED WELL: .	ft	t. 5 Latit	tude:			(decimal degrees)
WITH " SECTIO	N BOX:	Depth(s) Gr	oundwater	Encountered: 1)	ft.					
SECTION				3) ft., or 4)		Dry Well Datum: WGS 84 NAD 83 NAD 27				
				TER LEVEL:		Sour	Source for Latitude/Longitude:			
				, measured on (mo-day-				unit make/model:		
NW	NE			, measured on (mo-day- vater was f			(WAAS enabled? \square Yes \square No)			
w	Е	~		s pumping			□ Land Survey □ Topographic Map □ Online Mapper:			
				vater was f			Omme		•••••	
SW	SE	after	hours	s pumping	gpm			<u>^</u>		
		Estimated Y				6 Elevation:ft. Ground Level T				
	S	Bore Hole I		in. to						
1 r	1	DE LICED		in. to	π.			Ouler	•••••	
1. Domestic:	WATER TO			ter Supply: well ID				ld Watar Supply: la	0.00	
T. Domestic. ☐ House				g: how many wells?				ld Water Supply: le		
				echarge: well ID						
Livesto				g: well ID				al: how many bores		
2. 🗌 Irrigati	ion			al Remediation: well IE		a) C	Closed	Loop Horizonta	al 🗌 Verti	cal
3. 🗌 Feedlo			Air Sparge		Extraction					
4. 🗌 Industr			Recovery					specify):		
				nitted to KDHE?	Yes 🗌 No	If yes, da	te san	nple was submitted	d:	
	disinfected?									
				C 🗌 Other						1 🗌 Threaded
				Diameter						
	screen or			. Weight	lbs./ft.	Wall thic	ckness	or gauge No		
☐ Steel		less Steel	ION MA	$\square PVC$			ther (S	Specify)		
		anized Steel			sed (open hol		ulei (S	specify)		• • • • • • • • • • • • • • • • • • • •
	OR PERFOR		NINGS A		see (open nor	()				
	nuous Slot	☐ Mill Slot			orch Cut 🔲 I	Drilled Holes	s 🗆 (Other (Specify)		
	ered Shutter	Key Punch	ned 🗌 W	vire Wrapped 🛛 Sa	w Cut 🛛 🗋 🛚	None (Open	Hole)			
				n ft. to	,			,		
				n ft. to						
9 GROUT	MATERIA	L: 🗌 Neat o	cement] Cement grout 🛛 🗍 Be	ntonite 🔲 🤇	Other				
				ft., From			n	ft. to	ft.	
Nearest sou	rce of possible		on: No Lateral Line	potential source of con			Dama	🗖 Incontia	ida Stanaga	
			Cess Pool	es 🗌 Pit Privy 🗌 Sewage Lag		Livestock P Fuel Storag		☐ Insectic ☐ Abando		
	ight Sewer Lin		Seepage Pit			Fertilizer St				wen
						i erunder bi	loruge			
				Distance from we						
10 FROM	TO	I	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS
					Notes:		1			
					THURES:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my j	urisdiction ar	nd was compl	eted on (n	no-day-year) 	and	this record	is tru	e to the best of my	y knowled	ge and belief.
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Red	cord was co	omple	ted on (mo-day-ye	ear)	
under the b	usiness name	ot	WATED Y	ELL OWNER and rates		orda Eaf ª		or angle generation of the state		<u></u>
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1530427

Lithology

From	То	LithologicLog
0	48	SAND & GRAVEL, F/M/C SAND
48	68	SANDY CLAY W/ F/M/C SAND, F. GRAVEL
68	88	F/M/C SAND, FINE GRAVEL
88	108	F/M/C SAND, FINE GRAVEL
108	128	F/M/C SAND, F. GRAVEL, SOME SANDY CLAY
128	148	SANDY CLAY, SOME CLAY
148	168	SANDY CLAY, F/M/C SAND, CLAY
8	188	SANDY CLAY, F/M SAND, F/M/C SAND
188	208	F/M/C GRAVEL, BR. CLAY, FINE SAND
208	228	F/M/C SAND, TR SANDY CLAY & LIMEROCK
228	248	F/M/C SAND, SANDY CLAY, LIMEROCK
248	268	BR. CLAY, F/M/C SAND, LIMEROCK
268	288	F/M/C SAND, FINE SAND, LIMEROCK, BR. CLAY
288	308	BR. CLAY, F/M/C SAND
308	328	F/M/C SAND, SANDY CLAY
328	348	SANDSTONE, SILTY CLAY, GREY STICKY CLAY
348	368	GREY SHALE, SS, BR. ROCK

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1530427

Lithology

From	То	LithologicLog
368	388	SANDSTONE, BR ROCK, GREY SHALE
388	408	SHALE, SOME SANDSTONE
408	428	BR. ROCK, SHALE, SOME SS
428	448	SHALE
448	468	SHALE, SOME SS
468	488	SHALE, SS, SOAPSTONE, RED CLAY
488	508	SHALE, SILTY CLAY, RED CLAY
508	528	SHALE, SILTY CLAY, SS
528	548	SANDSTONE, FINE SAND, SHALE
548	568	SANDSTONE, BR ROCK, F. SAND, SHALE
568	588	SANDSTONE, BR ROCK, F. SAND, SHALE
588	608	SS, BR ROCK, F. SAND, SHALE
608	624	SHALE