KOLAR Document ID: 1538848

	WELL R	ECORD Correction		WWC-5 e in Well Use			vision of Wate sources App. N			 Well II	,	
	TION OF WA			Fraction			ection Number		Township Numb		ange Number	
County		TIER WE	2121	1/4 1/4	1/4		ction i value	<i>-</i> 1	T S	R	□E □W	V
	OWNER: La	st Name		First:			ural Address	whe	ere well is located			
Business:		ist i valle.		11150.					rsection): If at owner			1
Address:							incolor normalisation of microcolor, in an ormalisation, encormalisation					
Address:			Q	ZID.								
City:		I	State:	ZIP:								
3 LOCATI WITH "		4 DEPTH	OF COM	IPLETED WE	LL:		ft. 5 Latit	ude:			(decimal degree	es)
SECTIO				Encountered: 1).					le:			
SECTION N				3) ft., or					WGS 84 □ NA			ĺ
l ——				TER LEVEL:			Source	e for	Latitude/Longitude	:		
'				, measured on (mo					unit make/model:)
NW	NE			measured on (mo-day-yr) ater was ft. pumping gpm				(() 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
337		_							l Survey			
W	E	arter		ater was				mm	e Mapper:	• • • • • • • • • • • • • • • • • • • •		••••
SW	SE	after		pumping								_
		Estimated Y				Ci			1 :ft			
\$	S	Bore Hole I	Diameter:	in. to		ft. and	ft. and Source		: Land Survey GPS Topographic Map			_
1 n				in. to		ft.			Other	•••••		•••
	WATER TO											
1. Domestic:				ter Supply: well l					eld Water Supply: 16			. •
Housel				g: how many wel								
☐ Lawn &				echarge: well ID g: well ID					al: how many bores			
2. Irrigation												
3. ☐ Feedlo] Air Sparge	al Remediation: well ID				 a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water 				
4. ☐ Industr			Recovery	☐ Injection	_				(specify):			
Was a cher	mical/hacter	iological san	nnle suhm			Yes □ No			mple was submitte			
	disinfected?			itted to HDIIL	. ப	103 🔲 110	11 yes, auc	c sui	inpie was saoimie	· · · · · · · · · · · · · · · · · · ·		
				C. \square Other		CAS	ING JOINTS	S: [Glued Clamped	l □ Wel	ded □ Threadec	d
									in. to			
	nt above land s								s or gauge No			
	SCREEN OR											
☐ Steel	☐ Stain	less Steel		□ P	. —			her (Specify)			
☐ Brass		anized Steel			Ione u	ised (open ho	le)					
	OR PERFORA				_	_		_				
_		☐ Mill Slot					Drilled Holes		Other (Specify)	• • • • • • • • • • • • • • • • • • • •		
_		☐ Key Puncl					None (Open F			C		
									ft., From			
0 CDOUT	MAYEL PAC	I NIEKVA	ALS: From	1 It. to .		II., From	II. U	0	ft., From	It.	1011.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
☐ Septic			Lateral Line				Livestock Pe	ens	☐ Insection	cide Stora	ge	
☐ Sewer I			Cess Pool	☐ Sewa			Fuel Storage		Aband			
	ght Sewer Lin			☐ Feedy			Fertilizer Sto	orage	e 🔲 Oil We	ll/Gas We	ell .	
Other (Specify)											
					om w				ft.		DIG DIFFEDILLI	
10 FROM	TO	1	LITHOLOG	FIC LOG		FROM	TO	LH	THO. LOG (cont.) or	r PLUGG.	NG INTERVAL	LS
						-						
						Notes:	1					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \square constructed, \square reconstructed, or \square plugged												
under my ju	under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	ter Well Con	tractor's Lice	ense No	Thi	is Wa	ater Well Re	ecord was con	mple	eted on (mo-day-y	ear)		
under the business name of												
KS Departn	s nent of Health ar	nd Environment	, Bureau of V	Vater, Geology Secti	ion, 10	000 SW Jackso	n St., Suite 420.	Tope	eka, Kansas 66612-136	57. Teleph	one 785-296-3565.	
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1538848

Lithology

From	То	LithologicLog
0	2	SURFACE SAND
2	11	FINE/MED SAND
11	19	BR. SILTY CLAY
19	23	FINE SAND
23	27	FINE/M/COARSE SAND
27	31	SM GRAVEL
31	56	F/M SAND W/ F/M GRAVEL
56	76	SANDY CLAY
76	95	M/C SAND W/ F/M GRAVEL
95	101	SANDY CLAY LAYERS
101	138	M/C SAND W/ FINE GRAVEL
138	148	SANDY CLAY
148	152	M/C SAND
152	165	BLUE CLAY
165	215	M/C SAND, W/ FINE GRAVEL
215	230	SILTY SANDY CLAY
230	287	M/C SAND, W/ F. GRAVEL
287	318	M/C SAND, F. GRAVEL, SAND/ROCK
318	340	M/C SAND, TR. SC LENSES
340	357	C SAND, FINE GRAVEL, TR. LIMEROCK
357	365	CLAY
365	385	BR. ROCK W/ SS
	•	

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1538848

Lithology

From	То	LithologicLog
385	391	BLK SHALE
391	420	BR. ROCK W/ SS & F. SAND
420	432	SS W/ FINE SAND, SS & BR. ROCK
432	443	GRAY SHALE
443	450	GRAY SHALE W/ SOAPSTONE
450	466	SS W/ BR. ROCK
466	468	IRON PYRITE
468	482	BR ROCK & SS, SHALE LENSES
482	525	GRAY & BL SHALE
525	554	SHALE W/ F. SAND
554	579	SHALE
579	616	SHALE W/ FINE SAND
616	664	F/M SAND, SS W/ BR ROCK
664	676	SHALE