

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number												
COUNTY: <i>Leavenworth</i>		<i>NE 1/4 NW 1/4</i>	15	T 25 S	R 36 W												
Distance and direction from nearest town or city street address of well if located within city? <i>FROM LAKIN - 3 SOUTH ON HIGHWAY 25</i>																	
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources															
RR#, St. Address, Box # :		Application Number:															
City, State, ZIP code :		LAKIN, KS 67860-															
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 360 ELEVATION: 0															
<table border="1"> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> </tr> <tr> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> </table>		1	2	3	4	5	6	7	8	9	10	11	12	Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.			
1	2	3	4	5	6												
7	8	9	10	11	12												
		WELL'S STATIC WATER LEVEL 72 ft. below land surface measured on mo/day/yr 05/30/95															
		Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm															
		Estimated Yield 40 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm															
		Bore Hole Diameter 9 in. to 360 ft., and in. to 0 ft.															
		WELL WATER TO BE USED AS: DOMESTIC															
		Was a chemical/bacteriological sample submitted to department? No ;															
		If yes, mo/day/yr sample was submitted Water well disinfected? Yes															
5 TYPE OF BLANK CASING USED: PVC		CASING JOINTS: GLUED															
Blank casing diameter 5 in. to 360 ft., Dia		in. to 0 ft., Dia in. to 0 ft.															
Casing height above land surface 12 in.,		weight 200 lbs/ft. Wall thickness or gauge No. 21															
TYPE OF SCREEN OR PERFORATION MATERIAL: PVC																	
SCREEN OR PERFORATION OPENINGS ARE: SAW CUT																	
SCREEN PERFORATED INTERVALS:		From 215 ft. to 355 ft., From 0 ft. to 0 ft.															
GRAVEL PACK INTERVALS:		From 0 ft. to 0 ft., From 0 ft. to 0 ft.															
		From 40 ft. to 360 ft., From 0 ft. to 0 ft.															
		From 0 ft. to 0 ft., From 0 ft. to 0 ft.															
6 GROUT MATERIAL BENTONITE																	
Grout Intervals: From 0 ft. to 40 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.																	
What is the nearest source of possible contamination: WATERTIGHT SEW.																	
Direction from well? SOUTH		How many feet? 125															
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLOGGING INTERVALS												
0	30	TOPSOIL SAND COARSE SAND															
30	60	CLAY															
60	163	COARSE SAND GRAVEL															
163	188	CLAY															
188	210	COARSE SAND GRAVEL CLAY															
210	240	CALACHIE BROWN CLAY															
240	255	SANDY CLAY SAND CLAY															
255	295	YELLOW CLAY															
295	300	FINE SAND CLAY															
300	320	FINE SAND YELLOW CLAY															
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 07/04/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) 07/31/95 under the business name of JOE'S WELL SERVICE, INC. 7-3 by (signature) <i>Joe's Well Service</i>																	

(Continued)

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
COUNTY:		<i>NE 1/4 1/4 1/4</i>	15	T 25 S	R 36 W
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		Application Number:			
City, State, ZIP code :		LAKIN, KS 67860-			
FROM	TO	LITHOLOGIC LOG			
320	340	MEDIUM SAND YELLOW CLAY			
340	360	FINE - MED SAND CLAY SMALL GRAVEL			
360	380	BLUE SHALE			