WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| / | County Fraction | | | Section number | | Township number | Range number | | |
|---|---------------------------------------|------------------------|---------------|--|------|--|-------------------------------------|-----------|----------|
| 7. Location of well: | KEARHY | SE 1/4 II. SP/4 S | <u> 1/4</u> | 9 |) | т 25 s | r 36 E4 | \sim | |
| 2. Distance and dire | ction from nearest town or city | : 3, west 2 3/1; nor | 1,3. ⊘ | e of will | a El | ton Beymer | | | |
| County Fraction Location of well: REARITY Distance and direction from negrest town or city: Therefore address of well location if in city: Therefore address of well location if in city: | | | | R.R. or street: Iakin, K. 67860 | | | | | |
| | | U | City, s | tate, zip o | ode: | 02 | | | 76 |
| 4. Locate with "X" in section below: Sketch map: | | | | | | 6. Bore hole dia. 26 in. Well depth 292 ft. | | 29- | 10 |
| | | | | | Ì | 7 Cable tool _ Rotary | | ᅱ | |
| i | | | | | | Hollow rod Jetted Bored Reverse rotary | | | |
| w | | | | | [| 8. Use: Domestic Pu | | | |
| W | | | | | | Irrigation Air conditioning Stock Lawn Oil field water Other | | | |
| sw | SE | | | | ŀ | 9. Casing: Material | Attigate Above or below | - | |
| | | | | | | Threaded Welded | iSurface7_ | in. | |
| S | | | | | | RMPPVC | Weightlbs., | /ft. | |
| | lile ————— | | | F | То | Dia in to 29 ft. dep | th Wall Thickness: inches o | | |
| . Type and color of | material | | | From | 10 | 10. Screen: Manufacturer's n | | \exists | |
| | | | | | | Johnson Dir | | - | |
| | | | | | | Type <u>Galv</u> | | _ | |
| | | | | <u> </u> | | Slot/gauze 160-170 | ft. and 250-260 | ft | |
| | | | | | ľ | P <u>emf 80–160</u> ft. o Gravel pack? V06 Size ra | | | |
| | | | | | | 11. Static water level: | mo./day/ | _ | |
| | | | | | | _228_ft. below land sur | | 1 | |
| | | | | | | 12. Pumping level below land | | | |
| | | | | | | ft. after | nrs.pumpingg.p. ys-yapumpingg.p. | | |
| | · · · · · · · · · · · · · · · · · · · | | | 1 | | ft. after ft. Estimated maximum yield | (50 g.p. | | |
| | | | | | | 13. Water sample submitted: Yes No | mo./day/ | yr. | |
| | | | | | ŀ | Yes No 14. Well head completion: | Date | \dashv | |
| | | | | | | Pitless adapter | 12 Inches above grade | | |
| | | | | | | 15. Well grouted? <u>yes</u> | | - 1 | 1 |
| | | | | | | With: Neat cement Depth: From ft. told | Bentonite Concre | te - | ¦ |
| | | | | | | 16. Nearest source of possible | 17/2 | \exists | |
| | | | | ļ | | ft Direction | Type | - | |
| | | | | ļ | | Well disinfected upon comple | *** | No | _ |
| | | | | | | Manufacturer's name Goul | l ds Mosimallinos | _ * | " i |
| | | | | | | Model number | _ HP Volts | - | - |
| | | | | - | | Length of drop pipe | _ ft. capacityg.p. | m. | (|
| | | | | | | Submersible | X Turbine | | , |
| | (lise a se | econd sheet if needed) | | | | Jet Centrifugal | Reciprocating | <u> </u> | ١٠ |
| 18. Elevation: 19. Remarks: | | | | | | 20. Water well contractor's o | | ٦ ٔ | ۱, |
| | | | | | | This well was drilled under m | y jurisdiction and this repor | | • |
| opography: | | | | | | is true to the best of my know Minter Milson | - | 5 | <u> </u> |
| Hill | | | | | | Business mame Box | GArden Chitage | | - I(|
| <u> </u> | | | | | د | Address | 7 9 | -1: | |
| Upłand Valley | | | | | 1 | Authorized rep | resultative Date | | ا ک |
| | | | | | | | | — ⁴ | - 1 |

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

ELMAN BEYMER Kearney County 2-3-76

Location From Eakin, 3 Miles West, 3 Miles North, 792 Feet West, 792 Feet South Static Water Level

Test #5

| 0 | 15 | Top Soil |
|-----|-----|---|
| 15 | 19 | Brown Clay |
| 19 | 58 | Brown Clay, Brown Rock (Hard) |
| 58 | 66 | Fine To Med. Sand & Gravel |
| 66 | 82 | Brown Sandy Clay |
| 82 | 116 | Fine To Med. Sand & Gravel |
| | 128 | Brown Sandy Clay |
| 128 | 149 | |
| | 163 | |
| | 211 | |
| | 218 | |
| | 246 | Fine To Med. Sand & Gravel |
| | | Brown Sandy Clay |
| | 275 | |
| | | Fine To Med. Sand & Gravel Mixed With White |
| | | Rock |
| 292 | 302 | Fine To Med. Sand & Gravel Mixed With White |
| 300 | 200 | Rock (Tight) |
| | | Brown Sandy Clay, Trace Yellow Clay' |
| | | Yellow Clay (Hard) |
| 318 | 320 | lante |