


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County <u>KEARNY</u>	Fraction <u>SW 1/4 NE 1/4 SW 1/4</u>	Section number <u>13</u>	Township number <u>T 25 S R 36</u>	Range number <u>36</u>
2. Distance and direction from nearest town or city: <u>1/4 south, 1/4 east</u> <u>1/4 north of Lakin, Ks.</u> Street address of well location if in city:				3. Owner of well: <u>Minter-Wilson Drilling co.</u> R.R. or street: <u>Box A</u> City, state, zip code: <u>Garden City, Ks 67846</u>		
4. Locate with "X" in section below: N 1 Mile W E S 1 Mile				Sketch map: 		
5. Type and color of material				From	To	6. Bore hole dia. <u>26</u> in. Completion date <u>1-26-76</u> Well depth <u>278</u> ft.
						7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary
						8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
						9. Casing: Material <u>steel</u> Height: <u>278</u> ft. Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>36.87</u> lbs./ft. Dia. <u>16</u> in. to <u>379</u> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. <u>219 MHC</u>
						10. Screen: <u>Johnson Division</u> <u>Galv.</u> <u>16"</u> Type <u>100</u> Dia. <u>20"</u> Slot/gauze <u>100</u> Length <u>300</u> Set between <u>280</u> ft. and <u>300</u> ft. <u>Perf. 120-280 ft. and 350-378</u> ft. Gravel pack? <u>yes</u> Size range of material <u>1/4" Down</u>
						11. Static water level: <u>64</u> ft. below land surface Date <u>1-18-76</u> mo./day/yr.
						12. Pumping level below land surfaces: <u>142</u> ft. after <u>3</u> hrs. pumping <u>1275</u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u>1275</u> g.p.m.
						13. Water sample submitted: <u> </u> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u> </u>
						14. Well head completion: <u>12</u> inches above grade <input type="checkbox"/> Pitless adapter
						15. Well grouted? <u>yes</u> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.
						16. Nearest source of possible contamination: <u>N/A</u> ft. <u> </u> Direction <u> </u> Type <input checked="" type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No
						17. Pump: <u>Goulds</u> Manufacturer's name <u>12 JHC</u> HP <u>100</u> Volts <u>1000</u> Model number <u>160</u> ft. capacity <u>1000</u> g.p.m. Length of drop pipe <u>160</u> ft. capacity <u>1000</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Minter-Wilson Drilling 208</u> Business name <u>P.O. Box A Garden City, Ks</u> License No. <u> </u> Address <u> </u> Signed <u> </u> Date <u>8-3-76</u> Authorized representative
18. Elevation:		19. Remarks:				
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Minter-Wilson

CHUCK JAEGER
Kearny County
11-22-75

Location: SW 13-25-36
30 feet East of Pivot
Pivot 30

Static Water Level- 80'

0	1	Top Soil
1	14	Fine Sand
14	18	Brown Sandy Clay
18	40	Med. Coarse Gravel
40	51	Brown Sandy Clay
51	72	Fine to Med. Sand & Gravel
72	94	Brown Sandy Clay
94	104	Fine to Med. Sand & Gravel
104	123	Brown Sandy Clay
123	140	Fine to Med. Sand & Gravel, Clay Streaks
140	155	Fine to Med. Sand & Gravel (Loose)
155	162	Fine to Med. Sand & Gravel, Clay Streaks
162	180	Fine to Med. Sand & Gravel, 20% Clay
180	206	Fine to Med. Sand & Gravel, 35% Clay
206	235	Brown Sandy Clay
235	251	Fine to Med. Sand & Gravel
251	272	Brown Sandy Clay
272	295	Fine to Med. Sand & Gravel
295	355	Brown Sandy Clay
355	378	Fine to Med. Sand & Gravel
378	400	Brown Sandy Clay
400	425	Brown, Yellow Clay mixed with Brown Rock (Hard)
425	440	Shale

T.D. 378'