USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

County	Fraction		Section number		Township number Range number		er	
1. Location of well: KDARITY	SE 1/4 IN 1/4 S]]/4		11:	т 25 s	R 36	# /W	
	south ,1 east	3. Owr	er of wel	: Mi	r 25 s	lling Co.		
nonth of Latin Ks. Street address of well location if in city:			R.R. or street: Box A					
		City, st	tate, zip		den City, Ks. 6		20.76	
4. Locate with "X" in section below: N					6. Bore hole dia. 26 in. Completion date 2-29-76 Well depth 365ft.			
! ! !]				l	7 Cable tool Rotary	Driven Dug		
NW NE				L	Hollow rod Jetted		se rotary	
					8. Use: Domestic P			
E W 1 1 1 1 1 1					Irrigation A	ir conditioning Stoo fil field water Oth	ck ner	
sw *					9. Casing: Materiglical			
				- 1	Threaded Welded	ISurface7.2	in.	
S 1 → 1 Mile					PVC	Weight 36 - 87	zibs./ft.	
5. Type and color of material			From	То	RMP PVC Diq in. to ft. dep Dia in. to ft. dep	oth gage No. 219	mk	
	1-1-1				10. Screen: Manufacturer's Johnson Di	name		
					Type Gely			
					Slot/gauze 100	Length		
					Set between 320	_ft. and3110	ft·	
				Per	Gravel pack? Size ra	nge of material		
					11. Static water level:	men/	dgy/yr.	
					ft. below land sur	rtace Date		
					12. Pumping level below land	d surfaces:	a.p.m.	
					ft. after	hrs. pumping		
				-	Estimated maximum yield		g.p.m.	
				\vdash	13. Water sample submitted: Yes No	mo./	day/yr.	
					14. Well head completion:			
						Inches above g		
					15. Well grouted? GE With: Neat cement Depth: From Tt. to	Bantonita Co		
					Depth: From ft. to	ft.	JINCI BIB	
					16. Nearest source of possibl	e contamination:	/A	
					ft Direction Well disinfected upon comple	гуре	Z_ No	
					17. Pump:	Not installed		
					Manufacturer's nameGO	ulds US Pung		
					Model number 2 JH	— HP <u> </u>	1	
				\square	Type:		g.p	
					Submersible	Turbine		
(Use a second s	heet if needed)				Jet Centrifugal	Reciproc Other	aring S	
18. Elevation: 19. Remarks:					20. Water well contractor's			
18/19/202					This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Topography:					Minter Wilsnon		30 ≥	
HIII	18	JAN	1970	3	Businessmann Box 1		say No.	
Slope	R	ECE	IVE		Address	X	2-71	
Valley	্ৰ জ	ions ge	CLOCIO		Authorized rep	résentative Date		
orward the white, blue and pink copies to the Department	of Health and Environment	Valer Sa	Ground etion			Form WWC	:-5	

Addition DRILLING CO. Complete Installation and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

CHUCK JAEGER
Kearny County
1-7-76

Location: SE 14-25-36

175 Yds. South of Pivot

Circle 29

0	1	Top Soil
	10	Fine Sand
10	38	Med. to Coarse Sand & Gravel
38	50	Brown Clay
50	112	Brown Sandy Clay
112	125	Brown Sandy Clay, Small Streaks of Fine to Med.
		Sand & Gray Clay (Tight)
125		Fine to Med. Sand & Gravel, Streaks of Clay (10%)
	160	Brown Clay
160	200	Fine to Med. Sand & Gravel (Loose)
200	230	Fine to Med. Sand & Gravel, Streaks of Clay (10%)
	242	Fine to Med. Sand & Gravel (Loose)
242		Brown Clay, Small Streaks of Fine to Med. Sand
•	,,,	& Blue Clay (15%) (Tight)
275	312	Fine Sand, Streeks of Clay (15% (Tight)
312	320	Fine to Med. Sand, Streaks of Clay (15%) (Tight)
320		Fine to Med. Sand, Streaks of Clay (10%)
	380	Fine to Med. Sand, Streaks of Clay (15%) (Tight)
	393	Brown Sandy Clay
		Brown & Yellow Clay
407	415	Spole retrom offsh
401	417	Shale

T.D. 3651