

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Kearny		1/4 E 1/4 SW 1/4	16	T 25 S	R 36 E/W
Distance and direction from nearest town or city street address of well if located within city? From Lakin go 2 mi South 2mi West 2 1/2 mi South 3/4mi East to location.					
2 WATER WELL OWNER: Everett Rexroat McConaphy Production					
RR#, St. Address, Box #: Route #3 Board of Agriculture, Division of Water Resources					
City, State, ZIP Code: Ulysses, Kansas Application Number: T 84-478					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 180 ft. ELEVATION:			
<div style="text-align: center;"><p>1 Mile</p></div>		Depth(s) Groundwater Encountered 1. 143 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 37 ft. below land surface measured on mo/day/yr 8/14/84			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 100 gpm: Well water was ft. after hours pumping gpm			
Bore Hole Diameter 9 in. to 180 ft. and in. to ft.		WELL WATER TO BE USED AS:			
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		5 Public water supply 8 Air conditioning 11 Injection well			
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded		2 PVC 4 ABS 7 Fiberglass Threaded			
Blank casing diameter 5 in. to 103 ft. Dia. in. to ft. Dia. in. to ft.		Casing height above land surface 28 in., weight 2.85 lbs./ft. Wall thickness or gauge No. .265			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 100 ft. to 180 ft., From ft. to ft.		GRAVEL PACK INTERVALS: From 10 ft. to 180 ft., From ft. to ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other		Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage		Direction from well? Northeast of water well. How many feet? 100'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	surface			
2	39	gravel			
39	60	clay			
60	120	clay with gravel mixed			
120	133	blue clay			
133	140	medium to large sand			
140	148	blue clay			
148	175	medium/ to large sand			
175	180	pink clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) August 14, 1984 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) August 23, 1984 under the business name of Carlile Water Well Service, Inc. by (signature) <i>[Signature]</i>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					