		WATER W	ELL RECORD	Form WWC-5		r	
LOCATION OF WA		Fraction		i	tion Number	Township Number	Range Number
County Kearny		NE 1/4	SW 1/4	NE 1/4	21	T 25 S	R 36 EW
		n or city street addre		-			
		s north & 1/4					
WATER WELL O	WNER: Boegel	l Farms, Thre	e Bo's Inc.	•			
RR#, St. Address, B						•	Division of Water Resources
City, State, ZIP Code						Application Number:	
LOCATE WELL'S AN "X" IN SECTION							
AN A IN SECTIO	N	•					3
ī !	1 ! 1						r5/18/90
\w	NE						umping .2014 gpm
l 'i'	1 ^1 1						umping gpm
<u> </u>	<u> </u>	Bore Hole Diameter.	\dots 2.4 \dots in. to	533		nd	n. to
* w		WELL WATER TO B	E USED AS:	5 Public water	er supply	8 Air conditioning 11	Injection well
-	SE	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)
'''	1 1 1	2 Irrigation	4 Industrial	7 Lawn and	garden only 1	0 Monitoring well	
l i		Was a chemical/bacte	eriological sample	submitted to D	epartment? Ye	s; If ye	s, mo/day/yr sample was sub-
	\$	mitted			Wat	er Well Disinfected? Yes	No X
TYPE OF BLANK	CASING USED:	5 1	Wrought iron	8 Concre	ete tile	CASING JOINTS: Glu-	ed Clamped
1 Steel	3 RMP (SR	8) 6 /	Asbestos-Cement	9 Other	(specify below) Wel	dedX
2 PVC	4 ABS		Fiberglass				eaded
							. in. to ft.
Casing height above	land surface	$12.\dots$	weight 420)5	lbs./f	t. Wall thickness or gauge	No 250."
TYPE OF SCREEN	OR PERFORATION	MATERIAL:		7 PV	С	10 Asbestos-cen	ent
1 Steel	3 Stainless	steel 5 l	Fiberglass	8 RM	IP (SR)	11 Other (specify	v)
2 Brass	4 Galvanize	ed steel 6 (Concrete tile	9 AB	S	12 None used (c	pen hole)
SCREEN OR PERFO	PRATION OPENING	GS ARE:	5 Gauz	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous s	lot 3 Mil	ll slot	6 Wire	wrapped		9 Drilled holes	
2 Louvered shu	itter 4 Ke	y punched	7 Torch	h cut		10 Other (specify)	
SCREEN-PERFORAT	TED INTERVALS:	From177	ft. to .	237	ft., From	ft.	toft.
		From 309	ft. to .	369	ft., From	430 ft.	toft.
GRAVEL P	ACK INTERVALS:						toft.
		From					to ft.
GROUT MATERIA	L: 1 Neat ce	ement 2 C	ement grout	3 Bento	nite 4 (
Grout Intervals: Fro	om	ft. to 2.0	ft., From	.47 ft.			ft. to
What is the nearest s	source of possible of	contamination:			10 Livesto	ock pens 14	Abandoned water well
1 Septic tank	4 Latera	al lines	7 Pit privy		11 Fuel s	torage 15	Oil well/Gas well
2 Sewer lines	5 Cess	pool	8 Sewage lag	joon	12 Fertiliz	er storage 16	Other (specify below)
3 Watertight se	wer lines 6 Seepa	age pit	9 Feedyard		13 Insecti	cide storage	
Direction from well?	Southeast		-		How man	y feet? 290	
FROM TO		LITHOLOGIC LOG		FROM	TO		INTERVALS
	See attac	ched log					
							and a state of the
Control of Administration (Control of Control of Contro							
							The second secon
						THE PART OF THE PA	
					Maria Chamilla de la compansión de la co		
			100 000 000 000				A CONTRACTOR OF THE PARTY OF TH
CONTRACTORIO	OD LANDOWNER	O OFFICIOATION	This		-11 (2)	-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	
							der my jurisdiction and was
		5/.17/9.0				-	nowledge and belief. Kansas
						n (mo/day/yr) May. 2	1.29 , 1.99%
		Drilling & :			by (signatu		leghmet
INSTRUCTIONS: Use of Health and Environ	typewriter or ball point perment, Bureau of Water,	en. <i>PLEASE PRESS FIRML</i> Topeka, Kansas 66620-7320	Y and <u>PRINT</u> clearly. F D. Telephone: 913-296-	Please fill in blanks, 5545. Send one to	underline or circle WATER WELL OW	the correct answers. Send top three NER and retain one for your recor	copies to Kansas Department

DRILLERS TEST LOG

CUSTOMER'S NAME:	Three Bo's Inc.		DATE:	4-23-90	
STREET ADDRESS:	P. O. Box 305		TEST #	L E. LOG_ Yes_	
CITY & STATE:	Lakin, Ks. 67860		DRILLER	Shelden	
COUNTY Kearny	QUARTER NE	SECTION 21	TOWNSHIP 25	RANGE 36	
LOCATION 300'	north of old well				

Well Location

				Well Location
	FOOT	CF		STATIC WATER LEVEL: 80'
%	FOOTAGE From Pay TO		то	DESCRIPTION OF STRATA Proposed Well Depth:
	0		2	Top sand
	2		24	Sand fine to small
	24		47	Sand fine to medium coarse small to large gravel
	47		52	Caliche
	52		116	Brown sandy clay with some small sand streaks
	116			Blue clay
55	145	4	149	Sand fine to medium coarse
50	149	21	170	Sand fine to medium
65	170	20	190	Sand fine to medium coarse some small gravel
40	190	5	195	Sand fine to small
65	195	42	237	Sand fine to medium coarse some small gravel
	237		251	Brown sandy clay
40	251	26	277	Sand fine to medium
50	277	5	282	Sand fine to medium coarse small gravel
	282		309	Brown sandy clay & some small sand streaks
50	309	22	331	Sand fine to medium coarse
15	331	45	376	Soapstone & sand stone
	376			Gray shale
	385			Soapstone & sand stone streaks
15	430	5		Sand stone
10	435	34		Gray shale & sand stone streaks
20	469	60		Sand stone
	530		562	Gray shale & streaks of black shale
				3 - 50 Lb. Bags Quick Gel
				1 - Perma Pluq
				1 - 50 Lb. Bag Hole Plug
				Well Depth = 533'
				Set up south Pit on west
•				
		1		

GARDEN CITY, KS 67846 3795 West Jones Ave. HENKLE DRILLING & SUPPLY CO., INC.

316-277-2389

IRRIGATION HEADQUARTERS

TEST HOLES * * * * * * * * * * IRRIGATION & INDUSTRIAL WELLS * * * * * * * * * * STOCK WELLS