T				ILEH WI	ELL HECO	HU	Form WWC							
1 LOCATION OF WATER WELL: County: Kearny			Fraction	c	7.7.7	AT I.I	S	ection Number	1 2 5		1 5	Number	_	
County:			SW	74		NW		23	T 25	S	R 3	O E	B(W)	
Distance a		from nearest town					•							
	5 mi	les south	, ½ mil	le ea	st of	La1	kin, Ka	insas						
WATE	R WELL OW	/NER: R	alph R	eimei	r									
RR#. St. /	Address, Bo		ox 771	CIMCI	L				Board o	of Agriculture, [Division of W	/ater Res	sources	
,	, ZIP Code	D.		7		0.0				tion Number:				
		OCATION WITH 4	akin, l	kansa Loomb	as o/	000	305	6 F) F)						
AN "X"	IN SECTIO	N BOX:	epth(s) Gro	r COMP undwater	LETED WI	red 1	12	π. ELEV/)ft.	4110N:	· \$10 ре · · ft. 3			 ft.	
. r	1								rface measured					
i I	Ì								after					
-	NM	NE _	at Viald	50	uala. VV	-II wat	was	II. 6	after	Hours pu	mping ÷		. gpiii	
'	I		St. Yield		gpm: we	eli wate	erwas	π.	aπer	hours pu	mping		. gpm	
¥ w ≥	<u> </u>	E B	ore Hole Dia	ameter.		'.in. to			and		. to	.	ft.	
Σ	!	! \	ELL WATE	R TO BE	E USED AS			ter supply	8 Air condition	•	Injection wel	11		
ī L	- SW	SE	1 Domes	stic	3 Feedlo	t	6 Oil field v	ater supply	9 Dewatering	12	Other (Speci	ify below)	()	
	1	%	2 Irrigation	on	4 Industr	ial	7 Lawn and	garden only	10 Monitoring v	veli				
l I	i		as a chemic	cal/bacte	riological sa	ample :	submitted to	Department? Y	/esNo	.X; If yes,	mo/day/yr s	ample wa	as sub-	
_			itted						ater Well Disinfe					
TYPE C	OF BLANK (CASING USED:		5 V	Vrought iro	n	8 Cone	crete tile		JOINTS: Glued				
1 Ste		3 RMP (SR)			sbestos-Ce				w) & riv					
2 PV		4 ABS				ement			•	_	aded			
	_		. 22		iberglass	_								
		5in												
		and surface1.8		in.,	weight			Ibs.	./ft. Wall thickne	ss or gauge N	os c.n e.q u	rre. '	ŲΫ	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:				7_F	VC	10 /	Asbestos-ceme	ent			
1 Ste	eel	3 Stainless s	teel	5 F	iberglass		8 F	MP (SR)	11 (Other (specify)				
2 Bra	ass	4 Galvanized	steel	6 C	Concrete tile	е	9 A	BS	12 !	None used (op	en hole)			
SCREEN (OR PERFO	RATION OPENINGS	S ARE:		5	Gauz	ed wrapped		8 Saw cut		11 None (d	open hole	e)	
1 Co	ontinuous slo	t 3 Mill	slot				wrapped		9 Drilled hole		`	•	,	
	uvered shut					7 Torch			10 Other (spe					
		ED INTERVALS:		221				4 5	om mc					
SUNEEIN-1	PENFURATI	ED INTERVALS.												
			From	2.83	D 1	t to .	3.Q 5	tt., Fro	om	tt. t	0	· · · · · · ·	n.	
(BRAVEL PA	CK INTERVALS:	From	1 (om					
T			From			t. to		ft., Fro					ft.	
_	MATERIAL								Other					
Grout Inter	rvals: Fro	m0 ft.	to . 1.0		ft., From		ft.	to	ft., From		ft. to		ft.	
What is th	e nearest so	ource of possible co	ntamination	:				10 Lives	stock pens	14 A	bandoned wa	ater well		
1 Septic tank 4 Lateral line			lines	nes 7 Pit privy				11 Fuel	storage	15 Oil well/Gas well				
2 Sewer lines 5 Cess poo			ool				oon	on 12 Fertilizer st		orage 16 Other (specify below)				
3 Watertight sewer lines 6 Seepage				• •				13 Insecticide storage			none within 4 of a			
Direction f	•	or mico o occpas	o pit		3 1 000	yara			any feet?	mi				
FROM	TO TO		LITHOLOG	IC LOG			FROM	TO	ariy leet?	PLUGGING II				
0	4	Surface	LITTIOLOG	iic Loa			THOW	1 10		1 LOGGING II	TETTVALO			
4	60	Coarse sa	nd & o	rave			_							
60	90	Coarse san	_			re		-						
	I	<u> </u>		Lay I			<u> </u>	1 1						
90	260	Coarse san												
260	285	Sandy cla												
285	300	Medium sa					1						Fat. 7.7	
300	358	Sandy cla												
358	375	Sandstone	lost	circu	ilatio	n								
								1						
							+	1						
	-							+						
								1						
								-						
7 CONTE	RACTOR'S	OR LANDOWNER'S	CERTIEIC	ΔΤΙΩΝΙ:	This water	wall w	as (1) const	ructed (2) rec	onstructed or /	S) plugged upd	ler my juried	liction an	id was	
7 CONT	on (maide	year) Nov.	emher	2.6 -	1 9 9 ()									
			- բեր Ի.ե. 1	7 7.3 6 /s	÷ ₹.4. ₹				ord is true to the					
_		s License No	ouck B	ሣች	This W	vater W	vell Hecord v		on (mo/day/yr)		iber29	. , 1 9.	y U	
	business na	110 01						by (signa		Bear	a			
		ypewriter or ball point per nent, Bureau of Water, To										s Departmen	nt	