

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

County Kearny		Fraction NE 1/4 SW 1/4 NE 1/4		Section number 23	Township number T 5 S R	Range number 36W
1. Location of well:			2. Distance and direction from nearest town or city: 4 south, 1 east south of Lakin, Ks. Street address of well location if in city:		3. Owner of well: Minter-Wilson Drilling Co. R.R. or street: Box A City, state, zip code: Garden City, Ks. 67846	
4. Locate with "X" in section below: <div style="text-align: center;">N 1 Mile W E SW SE S 1 Mile</div>			Sketch map:		6. Bore hole dia. 26 in. Completion date 2-9-76 Well depth 412 ft.	
5. Type and color of material			From To		7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
					8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> <input checked="" type="checkbox"/> Irrigation Air conditioning Stock Lawn Oil field water Other	
					9. Casing: Material <u>steel</u> Height: Above or below Threaded Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP PVC Weight <u>36.87</u> lbs./ft. Dia. <u>6</u> in. to <u>412</u> ft. depth Wall Thickness: inches or Dia. _____ in. to _____ ft. depth Gage No. _____	
					10. Screen: Manufacturer's name <u>Johnsno Division</u> Type <u>Galv.</u> Dia. <u>16"</u> Slot/gauze <u>100</u> Length <u>20'</u> Set between <u>320</u> ft. and <u>340</u> ft. Perf. <u>1140-320</u> ft. and <u>340-412</u> ft. Gravel pack? <u>yes</u> Size range of material <u>1/4" Down</u>	
					11. Static water level: _____ mo./day/yr. <u>60</u> ft. below land surface Date <u>2-9-76</u>	
					12. Pumping level below land surfaces: <u>101</u> ft. after <u>3</u> hrs. pumping <u>1475</u> g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield <u>1475</u> g.p.m.	
					13. Water sample submitted: _____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date _____	
					14. Well head completion: <u>12</u> Pitless adapter _____ Inches above grade	
					15. Well grouted? <u>yes</u> With: Neat cement _____ Bentonite <input checked="" type="checkbox"/> Concrete _____ Depth: From <u>0</u> ft. to <u>10</u> ft. N/A	
					(Use a second sheet if needed)	
17. Pump: Not installed Manufacturer's name <u>Goulds US Pumps</u> Model number <u>12 JHC</u> HP <u>100</u> Volts _____ Length of drop pipe <u>160</u> ft. capacity <u>1000</u> g.p.m. Type: _____ Submersible <input checked="" type="checkbox"/> Turbine _____ Jet _____ Reciprocating _____ Centrifugal _____ Other _____						
18. Elevation:						
19. Remarks:						
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling 208 Business Name <u>P.O. Box A Garden City, Mo.</u> Address _____ Signature <u>[Signature]</u> Date <u>8-3-76</u> Authorized representative			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Minter-Wilson ✓
Kearny County
NE 23-25-36
10-2-75

Pivot 6

Static water level 31

Circle # 34

0	8	Top soil
8	14	Sandy clay
14	38	Sand & gravel
38	110	Sandy clay & sand & gravel streaks
110	230	Fine to med sand & gravel
230	253	Sand & gravel & sandy clay 25% fine - med
253	300	Fine - med sand & gravel sand & clay 10%
300	345	Fine - med sand & gravel
345	412	Fine - med sand & gravel - sandy clay 10%
412	420	Yellow & blue clay

ED 412