WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources App. No	19,154
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number
County: KEARNY			T 25 S	R 36 □E 🗹 W
Street/Rural Address of Well Location; from nearest town or intersection: If at	Global Positioning System (GPS) information: Latitude:			
S END OF LAKIN-3 M S ON HWY 25, 1/4 M E TO LAKIN LANE,		Longitude: (in decimal degrees)		
4 M S, 1 M E, 2285' N-4840' W		Elevation:		
2 WATER WELL OWNER: CHARLES JAEGER		Datum: WGS 84, NAD 83, NAD 27 Collection Method:		
RR#, Street Address, Box #: PO BOX 347		GPS unit (Make/Model:)		
City, State, ZIP Code : LAKIN, KS 67860		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 450 ft.				
SECTION BOX: Depth(s) Groundwater Encountered (1)				
Pump test data: Well water wasft. after hours pumping gpm				
EST. YIELDgpm. Well water was				
W Bore Hole Diameter 30 in. to 450 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
Domestic D Foodlet Doil field vector symply Devectoring Dother (Specify below)				
Industrial ☐ Domestic-lawn & garden ☐ Monitoring well				
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No				
S If yes, mo/day/yr sample was submitted 1 mile Water well disinfected? Yes No				
5 TYPE OF CASING USED: ✓ Steel ☐ PVC ☐ Other				
Casing diameter 16 in to 360 ft., Diameter in to ft., Diameter in to ft.				
Casing diameter				
TYPE OF SCREEN OR PERFORATION MATERIAL: ✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☑ Wire wrapped ☐ Saw cut ☐ Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
From				
GRAVEL PACK INTERVALS: From 20 ft. to 280 ft., From 340 ft. to 450 ft. From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: ☐ Neat cement				
6 GROUT MATERIAL: ☐ Neat cement				
What is the nearest source of possible cont Septic tank Lateral li		pens Insecticide	a storage Oth	on (anacify halow)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
FROM TO LITHOLOG		from well TO LITHO. L		IGGING INTERVALS
TROM TO LITHOLOG	JIC LOG TROM	TO DITTIO. D	OG (cont.) of 1 LC	OGING INTERVALS
SEE ATTACHED LOG				
SEE ATTACHED LOG				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) 4-10-09 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No208 This Water Well Record was completed on (mo/day/year)5-4-09				
under the business name of MINTER-WILSON DRILLING CO., INC. by (signature) Total Keller INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: ☑ White Copy, ☐ Blue Copy, ☐ Pink Copy				

MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic

INCORPORATED

Phone 276-8269 P.O. Box A GARDEN CITY, KANSAS 67846

Chuck Jaeger **Kearny County** 7/22/05

Location: SW2 35-25-36 - From River Road & Lakin Lane - 52 Miles South, 384 Ft. East & 282 Ft. South

Static Water Level - 170 Ft.

Name to the constitute of the first of the state of the s

Test #1

0' to 1' - Top soil 5' - Fine sand - loose 5' to 10' - Fine to medium sand - loose 10' to 35' - Fine to medium sand & gravel - clay strips 35' to 108' - Medium coarse gravel 108' to 112' - Brown clay 112' to 152' - Medium coarse gravel 152' to 158' - Brown clay 158' to 201' - Fine to medium sand & gravel - clay streak 201' to 220' - Brown sandy clay 220' to 232' - Fine to medium sand & gravel 232' to 257' - Brown clay - 35% gravel 257' to 296' - Brown sandy clay 296' to 350' - Brown sandy clay - small sand streak 350' to 360' - Brown clay 360' to 390' - Medium to coarse sand - loose 390' to 403' - Brown sandy clay 403' to 409' - Brown gray clay 409' to 430' - Medium sand small brown rock - loose 430' to 434' - Brown rock - loose 434' to 440' - Yellow shale