

WATER WELL R		VV VV C-3	JJ200		ion of Water		W 11 ID	
		e in Well Use			rces App. No.	E 1: N 1	Well ID	N. 1
1 LOCATION OF WATER WELL:		Fraction	1/. 1/.	Secti	on Number	Township Numb		ge Number
County:	1/4 1/4	1/4 1/4	D	1 4 1 1 1	T S	R	□ E □ W	
2 WELL OWNER: La Business:	First:		reet or Rural Address where well is located (if unknown, distance and ection from nearest town or intersection): If at owner's address, check here:					
Address:			direction	mom ne	arest town or int	ersection). If at Owne	a s address, c	nieck neie.
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	PLETED WELL	•	ft	5 Latitude	<u>.</u>		(decimal degrees)
WITH "X" IN								
SECTION BOX:	CTION BOX: Depth(s) Groundwater Encountered: 1)							
1	WELL'S STATIC WA	TER LEVEL:	ft		Source for Latitude/Longitude:			
	below land surface,				☐ GPS (unit make/model:			
NW NE	above land surface,			• • • • • • • • • • • • • • • • • • • •				
	Pump test data: Well w							
E		s pumpingvater was			☐ Onli	ne Mapper:		• • • • • • • • • • • • • • • • • • • •
X - SW SE		s pumping						
	Estimated Yield:		8F	6 Elevation :ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:	in. to	ft. and	ft. and Source: Land Survey GPS Topographic Map				
mile	II.	in. to	ft.		L	Other	• • • • • • • • • • • • • • • • • • • •	
7 WELL WATER TO					_			
1. Domestic:		ter Supply: well ID				ield Water Supply: 1		
Household		g: how many wells?						
☐ Lawn & Garden ☐ Livestock		echarge: well ID						
2. Irrigation	_ ;							
			or Extraction					
4. Industrial	☐ Recovery					(specify):		
Was a chemical/bacter	iological sample subm	itted to KDHE?	∃ Yes □	No 1	If yes, date sa	ample was submitte	ed:	
Water well disinfected?		•			3	1		
8 TYPE OF CASING		C Other	C	ASINO	G JOINTS: [Glued Clampe	d 🔲 Welded	I Threaded
Casing diameter								
Casing height above land s	urface in	. Weight				ss or gauge No		
TYPE OF SCREEN OR								
	less Steel					(Specify)		
☐ Brass ☐ Galva SCREEN OR PERFORA	anized Steel		e used (ope	n hole)				
			Torch Cut	□ Dri	lled Holes C	Other (Specify)		
	☐ Key Punched ☐ W				ne (Open Hole			•••••
SCREEN-PERFORATE	D INTERVALS: From	1 ft. to	ft F	rom	ft. to	ft From	ft. to	ft.
SCREEN-PERFORATED INTERVALS: From								
9 GROUT MATERIA								
Grout Intervals: From	ft. to							
Nearest source of possible						_		
☐ Septic Tank	Lateral Line				ivestock Pens		cide Storage	
	☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)								
Direction from well?								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		G INTERVALS
 			Note	g•				
TAUCS.								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Con	tractor's License No	This V	Water Wel	l Reco	rd was comp	leted on (mo-day-y	ear)	
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Randy Hayzlett
Doc ID	1155268

Litholgy

From	То	LithologicLog
0	11	TOP SOIL & BROWN CLAY
11	20	SAND
20	40	SAND MED TO COARSE
40	60	SAND & LITTLE GRAVEL
60	70	SAND & GRAVEL LITTLE CLAY
70	80	GRAY CLAY LITTLE GRAVEL
80	110	SHALE FEW STREAKS OF SAND
110	120	GRAY SHALE
120	156	FINE SAND LITTLE SHALE
156	160	SAND MEDIUM
160	180	SAND FINE TO MED LITTLE SANDY CLAY & CALICHE
180	210	SAND MEDIUM LITTLE CLAY
210	220	GRAY SHALE
220	240	WHITE SANDY CLAY LITTLE STREAKS OF SAND
240	250	SAND MEDIUM CLEAN
250	260	BROWN SANDY CLAY LITTLE SAND
260	271	SAND FINE LITTLE SANDY CLAY
271	280	SANDY CLAY LITTLE SAND

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Randy Hayzlett
Doc ID	1155268

Litholgy

From	То	LithologicLog
280		BROWN & BLUE STICKY CLAY