

WATER WELL R		orm WWC-5		4963		ion of Water		Well ID
		Change in Well Us	se			rces App. No		
1 LOCATION OF WATER WELL: Fraction County: 1/4 1/4 1/4			4 14	Section Number Township Number Range Number $T = S = R = R = R$				
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: Street of Rufal Address where well is located (if uliknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Address:								
Address:								
City: 3 LOCATE WELL	State	ZIP:						
WITH "X" IN		COMPLETED				5 Latitud	le:	(decimal degrees)
SECTION BOX:		water Encountered				Longit	ude:	(decimal degrees)
N	2)							
		WELL'S STATIC WATER LEVEL: ft. ☐ below land surface, measured on (mo-day-yr)				Source for Latitude/Longitude: GPS (unit make/model:)		
NW NE		urface, measured o				(WAAS enabled? Yes No)		
X NW NE		Well water was				☐ Land Survey ☐ Topographic Map		
W E		. hours pumping .				Online Mapper:		
SW SE		Well water was						
		. hours pumping .		gpm		6 Elevation:ft. ☐ Ground Level ☐ TOC		
S	Estimated Yield:	eter: in. to	0	ft and		Source: Land Survey GPS Topographic Map		
mile	Bore Hole Blank	in. t					☐ Other	
7 WELL WATER TO	BE USED AS:							
1. Domestic:		lic Water Supply:				10. 🗌 Oil	Field Water Supply: 1	ease
Household		vatering: how man				11. Test Hole: well ID		
Lawn & Garden		ifer Recharge: we				☐ Cased ☐ Uncased ☐ Geotechnical		
☐ Livestock 2. ☐ Irrigation		nitoring: well ID . nmental Remediati				12. Geothermal: how many bores?		
3. ☐ Feedlot				Extraction		b) Open Loop Surface Discharge Inj. of Water		
4. ☐ Industrial	☐ Rec		njection		-			
Was a chemical/bacter	iological sample	submitted to Kl	DHE? □	l Yes □	No 1	If ves. date	sample was submitte	ed:
Water well disinfected?				. 105 🗀	1,0	11) 05, 04.0	sampro was succine	
		□ PVC □ Other		C	ASINO	G JOINTS:	☐ Glued ☐ Clampe	d 🗌 Welded 🔲 Threaded
Casing diameter								
Casing height above land s			t	lbs	s./ft.	Wall thickn	ess or gauge No	
TYPE OF SCREEN OR								
		Fiberglass	□ PVC		. 1 1 . \	☐ Othe	r (Specify)	
☐ Brass ☐ Galv SCREEN OR PERFORA		CS ARE:	☐ None	used (ope	n noie)			
	☐ Mill Slot	G AKE. ☐ Gauze Wrappe	ы П	orch Cut	□ Dri	lled Holes	Other (Specify)	
	☐ Key Punched					ne (Open Ho		
SCREEN-PERFORATE								ft. to ft.
GRAVEL PAC	CK INTERVALS:	From f	t. to	ft., F	rom	ft. to	ft., From	ft. to ft.
GRAVEL PACK INTERVALS: From								
Grout Intervals: From		ft., From		. ft. to		ft., From	ft. to	ft.
Nearest source of possible contamination:								
Sewer Lines	☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lin			Feedyard			ertilizer Stora		ell/Gas Well
Other (Specify)						ortinger Store	.50	on out wen
Direction from well?			nce from v	well?				
10 FROM TO	LITH	OLOGIC LOG		FRO	M	TO I	LITHO. LOG (cont.) or	r PLUGGING INTERVALS
				Note	g•			
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction an	d was completed	on (mo-day-year	r)		and th	is record is	true to the best of m	y knowledge and belief.
Kansas Water Well Con	tractor's License	No	. This W	ater Wel	l Reco	rd was com	pleted on (mo-day-y	ear)
under the business name	under the business name of					<u>all</u>		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Jack & Janice Boegel	
Doc ID	1274963	

Litholgy

Littloigy		
From	То	LithologicLog
0	2	Top soil
2	20	Fine sand
20	50	Sand fine to med coarse small large gravel
50	59	Brown clay
59	64	sand fine to med coarse
64	68	brown clay
68	100	sand fine to med coarse small med gravel
100	117	light brown clay w/ many fine sand strips
117	124	sand fine to med
124	187	blue clay
187	193	fine sand
193	200	blue clay
200	218	fine sand w/ some blue clay stringers
218	234	sand fine to med coarse small gravel
234	254	brown sandy clay
254	258	fine sand
258	264	brown sandy clay
264	282	sand fine to med coarse
282	298	brown sandy clay
298	307	sand fine to med
307	311	soapstone

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Jack & Janice Boegel	
Doc ID	1274963	

Litholgy

From	То	LithologicLog
311	363	sandstone
363	392	soapstone w/ few sandstone strips
392	457	gray soapstone-sandstone ledge
457	525	sandstone
525	540	shale