KOLAR Document ID: 1362906

	WELL R			WWC-5				sion of Wat				
		Correction		e in Well Use				irces App. I		T 1' N 1	Well ID	
		ATER WEL	L:	Fraction $\frac{1}{4}$ $\frac{1}{4}$	1/	4 ¹ /4	Secti	ion Numbe	er	Township Numb T S	er Ran	ige Number
					Rura	T S R E W Rural Address where well is located (if unknown, distance and						
								rsection): If at owner	· · · · · · · · · · · · · · · · · · ·	·		
Address:												
Address: City:			State:	ZIP:								
3 LOCAT	E WELL											
WITH "				IPLETED W						•••••		-
SECTIO				Encountered: 1 3) ft.,								-
N	N			TER LEVEL: .							AD 27	
				, measured on (GPS (unit make/model:)	
NW	NE			, measured on (•••••		(WAAS enabled? Yes No)			
				ater was				□ Land Survey □ Topographic Map				
W	E	aner		vater was				□ Online Mapper:				
SW	SE	after	hours	s pumping		gpm				<u>c</u>		
		Estimated Y				6 Elevatio				Dn :ft. □ Ground Level □ TOC □ Land Survey □ GPS □ Topographic Map		
1 r	S nile	Bore Hole D		in. to	ft. and			Source		Other		
		BE USED A				It.						
1. Domestic:				ter Supply: we	ell ID			10. ∏ O	il Fie	eld Water Supply: 16	ease	
☐ Housel	hold	6. 🗆	Dewaterin	g: how many v	vells?			11. Test	Hole	: well ID		
Lawn d				echarge: well I								
☐ Livesto 2. ☐ Irrigati				g: well ID al Remediation:						al: how many bores Loop 🔲 Horizont		
3. ☐ Feedlo			Air Sparge			Extraction				Loop 🗌 Surface Di		
4. 🗌 Industr			Recovery	□ Inje	-					(specify):		
Was a cher	mical/bacter	iological san	ple subm	itted to KDH	E ? □	Yes 🗌	No	If yes, dat	e sar	nple was submitte	d:	
		∐Yes □]								1		
										Glued Clamped		
										in. to		
		PERFORAT		. Weight	• • • • • • • • • • • •	lbs	./ft.	Wall thic	kness	s or gauge No	• • • • • • • • • • • • • • • • • • • •	
☐ Steel		less Steel] PVC			□ Ot	her (!	Specify)		
		anized Steel				used (oper	hole)			speeny)		
SCREEN C		ATION OPE				· •						
	nuous Slot	☐ Mill Slot		auze Wrapped						Other (Specify)	•••••	
		Key Punch						one (Open H			£ 4-	C.
										ft., From ft., From		
										ft. to		
Nearest sou	rce of possible	e contaminatio	on:									
			ateral Line					Livestock Pe			cide Storage	
Sewer I	Lines ight Sewer Lin		Cess Pool leepage Pit		wage La edyard	igoon		Fuel Storage Fertilizer Sto			oned Water ` ll/Gas Well	
								STUMZET SU	Jugo			
Direction from well? ft.												
10 FROM	TO	L	ITHOLOG	GIC LOG		FRO	М	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS
						_						
						Notes	:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged												
under my ju	urisdiction ar	id was compl	eted on (n	no-day-year).			and th	his record	is tru	ie to the best of m	y knowled	ge and belief.
Kansas Wa	ter Well Con	tractor's Lice	nse No		This Wa	ater Well	Reco	ord was con	mple	eted on (mo-day-ye	ear)	
under the business name of												
KS Departr												e 785-296-3565.
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1362906

Litholgy

From	То	LithologicLog
0	2	top soil
2	15	fine sand
15	20	brown sandy clay
20	92	sand fine to med coarse small med large gravel
92	104	brown clay
104	113	brown sandy clay w/ few coarse sand strips
113	125	sand fine to med coarse small med gravel
125	141	brown sandy clay w/ many sand ledges
141	155	sand fine to med coarse w/ some clay stringers
155	175	sand fine med coarse small gravel w/ couple clay stringers
175	200	sand fine to med coarse small med gravel
200	209	brown sandy clay
209	214	sand fine to med coarse small gravel
214	286	brown sandy clay w/ few small lime rock strips
286	298	fine sand w/ some clay stringers
298	315	sand fine to med coarse w/ couple clay ledges
315	321	brown sandy clay

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1362906

Litholgy

From	То	LithologicLog
321	332	sand fine to med coarse
332	337	brown sandy clay
337	341	sand fine to med coarse
341	360	brown sandy clay w/ few small fine sand strips
360	367	brown sandy clay w/ many fine sand strips
367	375	brown rock & sandstone w/ few soapstone strips
375	386	soapstone
386	400	blue shale