KOLAR Document ID: 1416265

WATER WELL RECOR	-	WWC-5				sion of Wate			Ι,	W 11 ID	
Original Record Correcti		ge in Well Use		1		irces App. N		T		Well ID	an Manulana
1 LOCATION OF WATER V County:	Fraction 1/4 1/4 1/4 1/4			Sect	Section Number		Township T	S	Ran	ge Number □ E □ W	
2 WELL OWNER: Last Name:		First:	/4		r Rurs	al Address	whe				
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:											
Address:											
Address:	G	ZID									
City: 3 LOCATE WELL 4 DEV	State:	ZIP:									
WITH "X" IN 4 DEI	PTH OF COM	1PLETED WI	ELL:		ft.	5 Latitude:(decimal degrees)					
SECTION BOX: Depth(Depth(s) Groundwater Encountered: 1) ft.					Longitude:(decimal degrees)					
	2) ft. 3) ft., or 4) ☐ Dry Well WELL'S STATIC WATER LEVEL: ft.					Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27					
	low land surface,					Source for Latitude/Longitude: GPS (unit make/model:)					
	ove land surface,					(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
	est data: Well w									0)	
	ter hours					Online Mapper:					
sw s x		vater was									
	ter hours		• • • • • • • • • • • • • • • • • • • •	gpm		6 Elevation:ft. ☐ Ground Level ☐ TOC					
	ted Yield:			ft and							pographic Map
1 mile		in. to						-			
7 WELL WATER TO BE US						Į.					
	5. Public Wa	iter Supply: well	l ID			10. □ Oi	il Fie	ld Water Sup	ply: lease	e	
	6. Dewaterin					11. Test Hole: well ID					
Lawn & Garden	7. Aquifer Re							☐ Uncased			
	8. Monitoring 9. Environmenta							al: how man			
2. ☐ Irrigation 3. ☐ Feedlot	☐ Air Sparge			Extraction							
4. ☐ Industrial	☐ Recovery		_	Emucuoi	•						
Was a chemical/bacteriologica				Yes \square	Nο						
Water well disinfected? Yes			о. ப	103 🗀	110	11 yes, dan	o sui	iipie was sa	ommitted.		
8 TYPE OF CASING USED:		C Other		C.	ASIN	G JOINTS	S: 🗆	Glued C	lamped [Welded	Threaded
Casing diameter in. to	ft.,	Diameter		in. to		ft., Dian	neter	ir	ı. to	ft.	_
Casing height above land surface			• • • • • • • •	lbs	./ft.	Wall thick	kness	or gauge No			
TYPE OF SCREEN OR PERFO											
☐ Steel ☐ Stainless Stee			PVC	1.6	1 1 1		ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •		
☐ Brass ☐ Galvanized St SCREEN OR PERFORATION			None t	ised (oper	i hole)	1					
Continuous Slot Mills		auze Wrapped	□та	orch Cut	□Dr	illed Holes		Other (Speci	fv)		
☐ Louvered Shutter ☐ Key I						one (Open H			ıy)		
SCREEN-PERFORATED INTE									om	ft. to	ft.
GRAVEL PACK INTERVALS: From								ft.			
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From		ft., From		ft. to	• • • • • • • •	ft., From	• • • • •	ft. to		ft.	
Nearest source of possible contam		D:t I	Dadis		Πт	irranto als Da			[manatiaida	Ctomoro	
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well											
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Specify)											
Direction from well?			from w								
10 FROM TO	LITHOLOG	GIC LOG		FRO	M	TO	LIT	HO. LOG (co	ont.) or PI	LUGGING	G INTERVALS
				+	+						
				+							
										_	
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Water Well Contractor's	License No	T	his Wa	ater Well	Reco	ord was con	mple	ted on (mo-	day-year)	
under the business name of										<u></u>	
Send one c KS Department of Health and Enviror	opy to WATER W									Talanhar -	785 206 2565
Visit us at http://www.kdheks.gov/wat		raici, dediogy sec	-αυπ, 10	oo a W Jal	MOOII S	, Suite 420,	rope	na, maiisas uu	114-130/.		A 82a-1212

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1416265

Litholgy

From	То	LithologicLog
0	26	MED/COARSE GRAVEL
26	66	MED/COARSE GRAVEL
66	86	F/M/C GRAVEL
86	106	F/M SANDY CLAY
106	126	F/M/C SAND & CLAY
126	146	F/M/C SAND
146	166	F/M/C SAND
166	186	SANDY CLAY& F/M SAND
186	206	F/M/C SAND
206	226	F/M SAND & SANDY CLAY
226	246	SANDY CLAY
246	266	SANDY CLAY
266	286	SANDY CLAY
286	306	SANDY CLAY
306	326	SANDY CLAY/F/M SAND & CLAY
326	346	CLAY W/ SOME BR ROCK
346	366	OGALLALA / VERY F. SAND & CLAY
366	386	GRAY CLAY & SILTY CLAY
386	426	GRAY CLAY & SILTY CLAY/SC
426	446	GRAY CLAY/SANDSTONE LAYER
446	466	CLAY/SC/SILTY CLAY & SS

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1416265

Litholgy

From	То	LithologicLog
466	486	CLAY/SS/SILTY SC/GRAVEL & SS
486	513	F. SAND & SILTY CLAY/SHALE