

**WATER WELL RECORD Form WWC-5**


Division of Water Resources App. No.

Well ID

- Original Record
- Correction
- Change in Well Use

<b>1 LOCATION OF WATER WELL:</b> County: Kearny	Fraction SE ¼ SE ¼ SE ¼ NW ¼	Section Number 26	Township Number T 25 S	Range Number R 36 <input type="checkbox"/> E <input checked="" type="checkbox"/> W
--	---------------------------------	----------------------	---------------------------	---

<b>2 WELL OWNER:</b> Last Name: Tokoi First: Brent Business: Tokoi Aq Address: 902 W Broadway Plaza Address: City: Leoti State: KS ZIP: 67861	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: <input type="checkbox"/>  From Intersection of County Rd T & Rd 90 South 1/2 Mile then East 1/2 Mile
---	---

<b>3 LOCATE WELL WITH "X" IN SECTION BOX:</b> N  	<b>4 DEPTH OF COMPLETED WELL:</b> 395 ft. Depth(s) Groundwater Encountered: 1) 282 ft. 2) ..... ft. 3) ..... ft., or 4) <input type="checkbox"/> Dry Well WELL'S STATIC WATER LEVEL: 282 ft. <input checked="" type="checkbox"/> below land surface, measured on (mo-day-yr) 09/13/2021 <input type="checkbox"/> above land surface, measured on (mo-day-yr) ..... Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm Well water was ..... ft. after ..... hours pumping ..... gpm Estimated Yield: 30 gpm Bore Hole Diameter: 9 in. to 395 ft. and ..... in. to ..... ft.	<b>5 Latitude:</b> 37.850174 (decimal degrees) <b>Longitude:</b> -101.240892 (decimal degrees) Datum: <input checked="" type="checkbox"/> WGS 84 <input type="checkbox"/> NAD 83 <input type="checkbox"/> NAD 27 Source for Latitude/Longitude: <input type="checkbox"/> GPS (unit make/model: .....) (WAAS enabled? <input type="checkbox"/> Yes <input type="checkbox"/> No) <input type="checkbox"/> Land Survey <input type="checkbox"/> Topographic Map <input type="checkbox"/> Online Mapper: .....
<b>6 Elevation:</b> ..... ft. <input type="checkbox"/> Ground Level <input type="checkbox"/> TOC Source: <input type="checkbox"/> Land Survey <input type="checkbox"/> GPS <input type="checkbox"/> Topographic Map <input type="checkbox"/> Other .....		

**7 WELL WATER TO BE USED AS:**

1. Domestic: <input checked="" type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input type="checkbox"/> Livestock 2. Irrigation 3. Feedlot 4. Industrial	5. <input type="checkbox"/> Public Water Supply: well ID ..... 6. <input type="checkbox"/> Dewatering: how many wells? ..... 7. <input type="checkbox"/> Aquifer Recharge: well ID ..... 8. <input type="checkbox"/> Monitoring: well ID ..... 9. Environmental Remediation: well ID ..... <input type="checkbox"/> Air Sparge <input type="checkbox"/> Soil Vapor Extraction <input type="checkbox"/> Recovery <input type="checkbox"/> Injection	10. <input type="checkbox"/> Oil Field Water Supply: lease ..... 11. Test Hole: well ID ..... <input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical 12. Geothermal: how many bores? ..... a) Closed Loop <input type="checkbox"/> Horizontal <input type="checkbox"/> Vertical b) Open Loop <input type="checkbox"/> Surface Discharge <input type="checkbox"/> Inj. of Water 13. <input type="checkbox"/> Other (specify): .....
---	--	---

**Was a chemical/bacteriological sample submitted to KDHE?**  Yes  No If yes, date sample was submitted: .....  
 Water well disinfected?  Yes  No

**8 TYPE OF CASING USED:**  Steel  PVC  Other ..... CASING JOINTS:  Glued  Clamped  Welded  Threaded  
 Casing diameter 5 in. to 395 ft., Diameter ..... in. to ..... ft., Diameter ..... in. to ..... ft.  
 Casing height above land surface 18 in. Weight ..... lbs./ft. Wall thickness or gauge No. SDR17  
**TYPE OF SCREEN OR PERFORATION MATERIAL:**  
 Steel  Stainless Steel  PVC  Other (Specify) .....  
 Brass  Galvanized Steel  None used (open hole)  
**SCREEN OR PERFORATION OPENINGS ARE:**  
 Continuous Slot  Mill Slot  Gauze Wrapped  Torch Cut  Drilled Holes  Other (Specify) .....  
 Louvered Shutter  Key Punched  Wire Wrapped  Saw Cut  None (Open Hole)  
**SCREEN-PERFORATED INTERVALS:** From 280 ft. to 400 ft., From ..... ft. to ..... ft.  
**GRAVEL PACK INTERVALS:** From 0 ft. to 5 ft., From 40 ft. to 395 ft., From ..... ft. to ..... ft.

**9 GROUT MATERIAL:**  Neat cement  Cement grout  Bentonite  Other .....  
 Grout Intervals: From 5 ft. to 40 ft., From ..... ft. to ..... ft., From ..... ft. to ..... ft.  
**Nearest source of possible contamination:** No potential source of contamination within 200 ft.  
 Septic Tank  Lateral Lines  Pit Privy  Livestock Pens  Insecticide Storage  
 Sewer Lines  Cess Pool  Sewage Lagoon  Fuel Storage  Abandoned Water Well  
 Watertight Sewer Lines  Seepage Pit  Feedyard  Fertilizer Storage  Oil Well/Gas Well  
 Other (Specify) Nothing w/in 300' .....  
 Direction from well? ..... Distance from well? ..... ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS

**Notes:**

**11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:** This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo-day-year) 09/13/2021 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 846. This Water Well Record was completed on (mo-day-year) 09/21/2021 under the business name of Nash Water Well Service, LLC

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Brent Tokoi
Doc ID	1590486

Lithology

From	To	Lithologic Log
0	20	FINE MEDIUM SAND
20	40	FINE COARSE SAND
40	80	FINE COARSE SAND WITH SMALL TO LARGE GRAVEL AND SOME MEDIUM SIZED COBBLE
80	100	TAN CLAY FINE COARSE SAND
100	150	TAN STICKY CLAY & FINE SAND STREAKS
150	190	FINE COARSE SAND WITH SMALL GRAVEL AND TAN CLAY STREAKS
190	200	TAN GRAY CLAY WITH FINE SAND
200	210	TAN CLAY FINE SAND
210	220	FINE MEDIUM SAND
220	247	FINE MEDIUM SAND TAN CLAY
247	253	TAN WHITE CLAY & CALICHE SOFT ROCK
253	260	FINE MEDIUM SAND TAN CLAY
260	298	FINE MEDIUM SAND
298	300	WHITE ROCK HARD
300	340	FINE MEDIUM SAND

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Brent Tokoi
Doc ID	1590486

Lithology

From	To	Lithologic Log
340	380	TAN SANDSTONE WITH GRAY TAN THIN STREAKS TIGHT & STARTED LOOSING ALOT OF FLUID
380	400	BLUE SHALE