				R WELL RECORD	Form WWC-5	KSA 82a			
<b>→</b>	ON OF WAT		Fraction	CE MI		tion Number	Township N		Range Number
County:	Kear			SE 1/4 NW	1/4	2	Т 25	<u> </u>	R 37 E(W)
Distance a			•	ddress of well if locate	•				
				south of Lakin	, Ks.				
	R WELL OW		atzlaff Inc					<u>.</u>	
	Address, Box		John Crump					•	Division of Water Resources
	, ZIP Code		akine, Ks.				Application		
AN "X"	E WELL'S LO IN SECTION	OCATION WITH A	DEPTH OF Control Depth(s) Ground	OMPLETED WELL water Encountered 1	·· 220 · · · · ·140	ft. ELEVA" ft. 2	FION: s10	ре····· ft. 3	
т Г	i								ugust 12. 1985
	1								mping 10 gpm
1	NW	NE							mping gpm
<u>.</u>	i x		Bore Hole Diame	ter9. 7./.8in. to	220 .	ft., a	and	in.	toft.
	1	1	WELL WATER T	O BE USED AS:	5 Public wate	r supply	8 Air conditioning	11	Injection well
7	1		1 Domestic	3 Feedlot	6 Oil field was	ter supply	9 Dewatering	12	Other (Specify below)
-	- 5W	SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Observation we	ell	···stock·····
1			Was a chemical/b	pacteriological sample s	submitted to De	epartment? Ye	sNox	; If yes,	mo/day/yr sample was sub
			mitted			Wat	er Well Disinfecte	ed? Yes	x No
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JO	INTS: Glued	I <sub>X</sub> Clamped
1 Ste	eel	3 RMP (SF	R)	6 Asbestos-Cement	9 Other	(specify below	) & riv	etedWelde	ed
2 <u>PV</u>	/C	4 ABS		7 Fiberglass				Threa	ded
Blank casir	ng diameter	5	in. to . 1.20	ft., Dia	5in. to	. 200	ft., Dia		in. to ft.
Casing hei	ight above la	and surface	5	.in., weight		lbs./1	t. Wall thickness	or gauge No	SCHEDULE 40.,
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		7 PV	С	10 Ast	estos-ceme	nt
1 Ste	eel	3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 Oth	er (specify)	
2 Bra	ass	4 Galvanize	ed steel	6 Concrete tile	9 AB	S	12 No	ne used (op	en hole)
SCREEN (	OR PERFO	RATION OPENING	GS ARE:	5 Gauzed wrapped			8 Saw cut		11 None (open hole)
1 Co	ontinuous slo	t 3 Mi	II slot	6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-F	PERFORATI	ED INTERVALS:	From <u>1</u>	20 ft. to	160	ft., Fror	n	ft. to	o
			From 2	.00 ft. to	2.20	ft., Fror	n	ft. to	o
G	GRAVEL PA	CK INTERVALS:	From	.1.0 ft. to	220	ft., Fror	n	ft. to	o
			From	ft. to		ft., Fror	n	ft. te	p ft.
	T MATERIAL				3 Bento				
Grout Inter	rvals: Fro	m. <b>.0</b>	ft. to . 10	ft., From	<del> ft.</del>	to	ft., From	· • · · · · · ·	ft. to
What is the	e nearest so	ource of possible	contamination:			10 Livest	tock pens	14 A	bandoned water well
1 Septic tank 4 Lateral lines			al lines	7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			pool	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Pasture									ure
Direction f	•					How mar	ny feet?		
FROM	то		LITHOLOGIC	LOG	FROM	то		LITHOLOG	IC LOG
0	2	Surface				ļ			
2	20	Caay							
20	80	Coarse san	nd			-			
80	140	Fine to me	dium sand			<del> </del>			
140	2 <b>9</b> 0	Clay w/fine	to mdeium	sandstrips					
200	220	Blue shale							
									**************************************
	ļ								
					'				
7 CONTE	RACTOR'S	OR LANDOWNER	S CERTIFICATI	ON: This water well w	as (1) constru	cted, (2) reco	nstructed, or (3)	plugged und	ler my jurisdiction and was
									owledge and belief. Kansas
		's License No. 1	.64	This Water V	Vell Record wa	as completed	on (mo/day/yr) .	Septemb	er 9, 1985
under the	business na	me of Ho	uck Bros.	Drilling Co.		by (signat	ture) Moll	رينا	ard
INSTRUC	TIONS: Use	typewriter or ball	point pen, PLEAS	E PRESS FIRMLY an	d <i>PRINT</i> clear	ly. Please fill in	n blanks, underline	or circle the	e correct answers. Send top
three copie	es to Kansas	Department of He	ealth and Environn	nent, Division of Enviror	nment, Environ	mental Geolog	y Section, Topeka	, KS 66620.	Send one to WATER WELL
OVVINER 8	and relatin of	ne for your record	J						