
	TER WELL:	Fraction		Sec	ction Number	Township N	Jumher	Range Number	r I
County: Kea:			NW 1/4 NV		5	T 25			E
Distance and direction							<u>, </u>		
		es north & 2		-	artland.	Кe			
		rt Gordon Bar		rest of h	ar crand,	KS.	~		
2 WATER WELL OV	VIVEIU.		marac			December 1	A surface day on a	State of Mater De	
RR#, St. Address, Bo	<i>x</i> ,		2.4				_	Division of Water Re	sources
City, State, ZIP Code		lin, Ks. 678				Application	n Number:		
LOCATE WELL'S L AN "X" IN SECTIO	N DOV.	DEPTH OF COMF Depth(s) Groundwate							
T X		WELL'S STATIC WA							
i i								mping	
NW	NE	Est. Yield 1.5							
!!!		Bore Hole Diameter.							
* w 1	-								
_		WELL WATER TO B		5 Public water		8 Air conditionin	_	Injection well	
1 sw	SE	1 Domestic						Other (Specify below	
		2 Irrigation							
↓		Was a chemical/bacte	eriological sample	submitted to D					as sub-
-	S r	mitted			Wat	er Well Disinfect	ed? Yes	X No	
5 TYPE OF BLANK	CASING USED:	5 V	Vrought iron	8 Concr	ete tile	CASING JO	DINTS: Glued	1 X Clamped .	
1 Steel	3 RMP (SR	6 /	Asbestos-Cement	9 Other	(specify below	<i>(</i>)	Weld	ed	
2 PVC	4 ABS	7 F	Fiberglass				Threa	aded	
Blank casing diameter	· 5i	n. to	. ft., Dia					in. to	ft.
Casing height above I									
TYPE OF SCREEN C			g	7 PV			bestos-ceme		
1 Steel	3 Stainless		Fiberglass		MP (SR)				
	4 Galvanize		Concrete tile	9 AE	` '		one used (op		
2 Brass					99		nie useu (op	•	lo)
SCREEN OR PERFO				ed wrapped		8 Saw cut		11 None (open ho	ie)
1 Continuous sk				wrapped		9 Drilled holes			
2 Louvered shut		y punched	7 Torch			٠.			
SCREEN-PERFORAT	ED INTERVALS:							0	
		From	ft. to .		ft., Fror	n <i></i>	ft. t	0	ft.
GRAVEL PA	CK INTERVALS:	From 2	25 ft. to .	316	ft., Fror	n	ft. t	0	ft.
		From	ft. to		ft., Fror	n	ft. t	0	4
6 GROUT MATERIA	L: 1 Neat ce		ement grout	3 Bento		Other	<i></i>		
		ement 2 Co			onite 4				
	m5f	ement 2 Co			onite 4 to	ft., From .		ft. to	ft.
Grout Intervals: Fro	m5f	ement 2 Conft. to			onite 4 to	ft., From .	14 A		ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank	m5f ource of possible o 4 Latera	ement 2 Confirmation:	ft., From 7 Pit privy	ft.	to	ft., From . lock pens storage	14 A 15 O	ft. tobandoned water we il well/Gas well	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines	ource of possible of 4 Latera 5 Cess	ement 2 Content	ft., From	ft.	to	ft., From . lock pens storage zer storage	14 A 15 O	ft. to bandoned water we	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	ource of possible of 4 Latera 5 Cess per lines 6 Seepa	ement 2 Content	ft., From 7 Pit privy	ft.	to	ft., From . sock pens storage zer storage	14 A 15 O 16 O	ft. tobandoned water we il well/Gas well	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess	ement 2 Content	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 2 Configure 2 Contamination: all lines pool age pit	ft., From	ft.	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess per lines 6 Seepa	ement 2 Configure 2 Configure 2 Contamination: all lines pool age pit	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 1 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 2 Configure 2 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ource of possible of 4 Latera 5 Cess poser lines 6 Seepa	ement 2 Configure 2 Configure 2 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	oon	to	ft., From . sock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	. ft. to	ft.
Grout Intervals: Fro What is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	ource of possible of 4 Latera 5 Cess per lines 6 Seepa South See attac	ement 2 Configure 2 Configure 2 Contamination: all lines pool age pit LITHOLOGIC LOG	ft., From	FROM	nonite 4 to	ft., From . lock pens storage zer storage ticide storage ny feet? 3	14 A 15 O 16 O	tt. to	ft.
Grout Intervals: Fro What is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	ource of possible of 4 Latera 5 Cess per lines 6 Seepa South See attac	ement 2 Content of the to	ft., From	FROM FROM Vas (1) constru	to	cock pens storage zer storage ticide storage ny feet? graph of the storage st	14 A 15 O 16 O	tto	ft.
Grout Intervals: Fro What is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	ource of possible of 4 Latera 5 Cess per lines 6 Seepa South See attack	ement 2 Content of the content of th	ft., From	FROM FROM vas (1) constru	note 4 to	cock pens storage zer storage ticide storage y feet? 3	14 A 15 O 16 O O' PLUGGING II plugged underst of my kn	tto	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 7 CONTRACTOR'S completed on (mo/day) Water Well Contractor	ource of possible of 4 Latera 5 Cess per lines 6 Seepa South See attac	ement 2 Content of the to	ft., From	oon FROM Vas (1) construction Vell Record was	to	nstructed, or (3) rd is true to the bon (mo/day/yr)	14 A 15 O 16 O O' PLUGGING II plugged underst of my kn	tto	ft.
Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 7 CONTRACTOR'S completed on (mo/day Water Well Contractor under the business na	ource of possible of 4 Latera 5 Cess per lines 6 Seepa South See attac	ement 2 Content of the to	ft., From	oon FROM Vas (1) construction Vell Record was Inc.	to	nstructed, or (3) ord is true to the ton (mo/day/yr) ture)	plugged uncoest of my kn	tto	nd was





DRILLING & SUPPLY CO., INC.

3795 W. JONES AVE. 316/277-2389 FAX/277-0224

P.O. Box 639 GARDEN CITY, KANSAS 67846

CUSTOMER'S NAME	EGordo	Gordon Barnhardt				DATE 8-13-90			
STREET ADDRESS	Box 1	.88				TEST # _1	E	. LOG Yes	
CITY & STATE	Buckl	in, Ks.	67834			DRILLER _	Shelde	n .	
COUNTY K	earny	QUARTER	NW	SECTION	5	TOWNSHIP_	25	_ RANGE _37	
		•							
LOCATION 30	0' south	of old we	ell						

%	P	FOOTAGE	To	DESCRIPTION OF STRATA	STATIC WATER LEVEL: Approx. 90' Proposed Well Depth: 316'
70	From	Pay			Proposed Well Depth: 316'
	0_		2	Top soil	
	2_		17	Brown sandy clay	
-	17_		31		arse small gravel cemented
	31		59		e lime rock ledges & few small
				sand strips	
	59		86		mented with some clay streaks
	86		93	Brown sandy clay	
	93		104	Gray soapstone	
	104		179.	Shale & lots hard ledge	es
	179		181	Iron pyrite	
5	181	8	189	Soap stone & sand stone	9
	189		206	Shale & hard shale ledg	ges
10	206		214	Soap stone & sand stone	e streaks
	214		223	Soap stone	
15	223	34	257	Gray soap stone & sand	stone streaks
	257		260	Iron pyrite	
15	260	56	316		e streaks - drilled hard
	316		342	Soap stone with some ha	
				TD = 316'	
				5" PVC	
				Perf Plain	n
	316		216	100'	
	216		0	216	
			Total	100' 216'	
				2½ - 50 lb. bags Hi-Tel	k
				6 - 50 lb. bags Hole P.	
				2 - 5" PVC caps	
					And the same of th