, a		WATE	R WELL RECORD	Form WWC-	5 KSA 82a			
1 LOGATION OF WA	TER WELL:	Fraction		I	ction Number	Township Numb	per	Range Number
County: Kearny		NW 1/4	NW 1/4 S1	W 1/4	24	Т 25	S	R 37 E(W)
Distance and direction								
			Mile West, 2					iles South,
WATER WELL OV	NER: Kearny	County F	eeders	3/4 Mil	e West &	600 Ft. South	h	
RR#, St. Address, Bo						Board of Agric	culture, Div	vision of Water Resource
City, State, ZIP Code						Application No		
LOCATE WELL'S L AN "X" IN SECTIO	N BOX:	pth(s) Ground	water Encountered	1	ft. 2	2	ft. 3	tt.
NW		Pump	test data: Well wat	er was	ft. a	fter h	ours pump	8+187
l i			**					oing gpm
× X I			•					o
<u> </u>		_	O BE USED AS:	5 Public wate		8 Air conditioning		ection well
sw	SE	① Domestic	3 Feedlot					her (Specify below) tock Well
<b>5</b> !	1	2 Irrigation	4 Industrial					
	mi	as a cnemical/c			Wa	ter Well Disinfected?	Yes 3	io/day/yr sample was su { No
TYPE OF BLANK			5 Wrought iron	8 Concr				Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify below	•		• • • • • • • • • • • • • • • • • • • •
<b>2</b> PVC	4 ABS	060	7 Fiberglass				Threade	ed
								to ft
Casing height above la	and surface	1.2	in., weight	<b>XXX</b> X. <u>3.</u> 9	9 lbs./i	ft. Wall thickness or g	gauge No.S	SDR21
TYPE OF SCREEN O	R PERFORATION N	MATERIAL:		<b>O</b> PV	C	10 Asbest	os-cement	
1 Steel	3 Stainless st	eel	5 Fiberglass	8 RM	MP (SR)	11 Other (	(specify)	
2 Brass	4 Galvanized	steel	6 Concrete tile	9 AE	s	12 None ι	sed (open	hole)
SCREEN OR PERFO	RATION OPENINGS	ARE:	5 Gauz	ed wrapped		Saw cut	1	1 None (open hole)
1 Continuous sk	ot <b>(3)</b> Mill s	lot	6 Wire	wrapped		9 Drilled holes		
2 Louvered shut	ter 4 Key j	punched	7 Torch	n cut		10 Other (specify) .		
SCREEN-PERFORAT			268 ft. to .	298	ft., Fror	m	ft. to.	
GRAVEL PA	CK INTERVALS:	From	ft. to .		ft., Fror	m	ft. to.	
		From	ft. to		ft., Fror			ft
GROUT MATERIAL	.: 1 Neat cem	ent C	Cement grout	3 Bento				
Grout Intervals: Fro	mft.	to 20.	ft From	ft.	to	ft From		ft. to
What is the nearest so			•			tock pens		ndoned water well
	4 Lateral li		7 Pit privy			storage		
2 Sewer lines 5 Cess							16 Other (specify below)	
	er lines 6 Seepage		9 Feedyard					
Direction from well?	or mice o ccopage	, ъ.,	o i oodyara		How mar	•		
FROM TO		LITHOLOGIC I	OG	FROM	TO I		HOLOGIC	LOG
						<del></del>		
						11		
	See at	tached lo	08					
						· ·		
			-		tt-			
CONTRACTORIS	D   ANDOMOTEC:	OCDTICIO ATT	ONL This		atad (0) :::	material at 100 at a		many luminalisation and
								my jurisdiction and wa
							of my know 10-9-8	rledge and belief. Kansa २७
			This Water V					• • • • • • • • • • • • • • • • • • • •
			rilling Co.,			ture) moral		
								op three copies to Kansas : 913-862-9360. Send one
		,, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				,	.,	

The Professionals

## MINTER-WILSON DRILLING CO. Complete Installation and Regarding

and the second s

Phone 276-8269 . P.O. Box A . GARDEN CITY, KANSAS 67846

Kearny County Feeders Kearny County 7-28-87

Location:  $\frac{SW^{\frac{1}{2}}}{2} \frac{24-25-37}{2 \cdot 5., 2^{\frac{1}{2}}} \frac{\text{From Lakin} - 1 \cdot 5., 1 \cdot W.,}{5., 3/4 \cdot W. & 600 \cdot \text{ft. S.}}$ 

Static Water Level - 68'

## Test #1

0 10 Top soil

10 77 Medium coarse gravel

77 104 Blue clay - sticky

104 140 Fine to medium sand & gravel

140 156 Medium coarse gravel

156 163 Brown clay

163 170 Fine to medium sand & gravel

170 187 Fine to medium sand & gravel - 10% clay

187 203 Brown sandy clay

203 209 Fine to medium sand & gravel

209 291 Brown sandy clay

291 301 Fine to medium sand & gravel - brown yellow rock mixed

301 305 Gray clay

305 320 Yellow red gray clay - tight

10-5/8" Hole 6" Plastic Casing 268' Plain 30' Perf. 2 tons gravel 298' Well