

<b>1 LOCATION OF WATER WELL:</b>		Fraction	SE ¼ SE ¼ SE ¼	Section Number	35	Township Number	T 25 S	Range Number	R 37 E <span style="border: 1px solid black; border-radius: 50%; padding: 0 2px;">W</span>
Distance and direction from nearest town or city street address of well if located within city? From Lakin 8 miles South on HWY 25, 1½ miles West, North side									
<b>2 WATER WELL OWNER:</b>		Kearny County Feeders RR#, St. Address, Box # : P. O. Box 109 City, State, ZIP Code : Lakin, KS 67880							
		Board of Agriculture, Division of Water Resources Application Number:							
<b>3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:</b>				<b>4 DEPTH OF COMPLETED WELL:</b> 180 ft. <b>ELEVATION:</b>					
		Depth(s) Groundwater Encountered 1. . . . . ft. 2. . . . . ft. 3. . . . . ft. WELL'S STATIC WATER LEVEL 70 ft. below land surface measured on mo/day/yr 07/11/90 Pump test data: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm Est. Yield . . . . . gpm: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm Bore Hole Diameter 12½ in. to 180 . . . . . ft., and . . . . . in. to . . . . . ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Stock Well							
		Was a chemical/bacteriological sample submitted to Department? Yes . . . . . No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No							
<b>5 TYPE OF BLANK CASING USED:</b>		3 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped . . . 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded . . . <span style="border: 1px solid black; border-radius: 50%; padding: 0 2px;">2</span> PVC 4 ABS 7 Fiberglass Threaded . . .							
		Blank casing diameter 5 in. to 140 ft., Dia . . . . . in. to . . . . . ft., Dia . . . . . in. to . . . . . ft. Casing height above land surface 12 in., weight 2.87 lbs./ft. Wall thickness or gauge No. SDR21							
<b>TYPE OF SCREEN OR PERFORATION MATERIAL:</b>		3.43 <span style="border: 1px solid black; border-radius: 50%; padding: 0 2px;">7</span> PVC 10 Asbestos-cement SDR17 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . . . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
<b>SCREEN OR PERFORATION OPENINGS ARE:</b>		5 Gauzed wrapped <span style="border: 1px solid black; border-radius: 50%; padding: 0 2px;">8</span> Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) . . .							
<b>SCREEN-PERFORATED INTERVALS:</b>		From 140 ft. to 180 ft., From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.							
<b>GRAVEL PACK INTERVALS:</b>		From 120 ft. to 180 ft., From . . . . . ft. to . . . . . ft. From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.							
<b>6 GROUT MATERIAL:</b>		1 Neat cement <span style="border: 1px solid black; border-radius: 50%; padding: 0 2px;">2</span> Cement grout <span style="border: 1px solid black; border-radius: 50%; padding: 0 2px;">3</span> Bentonite 4 Other . . . Grout Intervals: From 0 ft. to 20 ft., From 20 ft. to 120 ft., From . . . . . ft. to . . . . . ft.							
<b>What is the nearest source of possible contamination:</b>		10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage N/A							
<b>Direction from well?</b>		How many feet?							
FROM	TO	LITHOLOGIC LOG				FROM	TO	PLUGGING INTERVALS	
		<b>SEE ATTACHED LOG</b>							
<b>7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was <span style="border: 1px solid black; border-radius: 50%; padding: 0 2px;">1</span> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) July 11, 1990 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/yr) November 9, 1990 under the business name of Minter-Wilson Drilling Co., Inc. by (signature) Kathy Olson									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									