WATER WELL RECORD	Form W	WC-5	Di	vision of Water	r Resources App. No	0,	
1 LOCATION OF WATER WELL:	Fraction		Section	on Number	Township No.	Range Number	
County: Kearn County: Street/Rural Address of Well Location;	1/4 NE 1/4 NE	1/4 NE 1/4	CLI	15	T 25 S	R 37 □E 🗷 W	
from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude:			
from Lakin. 3 miles west on Hwy. 50, then				Longitude: (in decimal degrees) Longitude: (in decimal degrees)			
3/4 miles south.				Elevation:			
				Datum: WGS 84, NAD 83, NAD 27			
DD# Chart Address Downth				Collection Method: GPS unit (Make/Model:)			
				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Ingalls, Ks. 67853			Est. A	Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 3.0							
	SECTION BOX: Depth(s) Groundwater Encountered (1)						
WELL'S STATIC WATER LEVEL82. ft. below land surface measured on mo/day/yr!!./.9/10							
Pump test data: Well water wasft. after hours pumping							
EST. YIELDgpm. Well water wasft. after hours pumpinggpm							
WELL WATER	W Bore Hole Diameter						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes 🔀 No							
S If yes, mo/day/yr sample was submitted							
Water wen disinfected: A Tes 110							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft.							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Ctool Ctool Cooling							
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From							
SCREEN-PERFORATED INTERVALS: From							
From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft.							
Grout Intervals: Fromft. to	2.9 ft., From	80.	ft. to		From	. ft. toft.	
What is the nearest source of possible conta		T issanta als		Tanatiai da	"to "o "	(
Septic tank					er (specify below)		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						400	
Direction from well			~~~~				
FROM TO LITHOLOG	IC LOG	FROM	TO			IGGING INTERVALS	
2 20 Tanclay		165	310	Saadste	net Shale,	layers.	
20 45 Med-Sand							
45 46 Red clay							
46 55 Yellowclan 4 Si	ne Saad						
55 60 Redelay							
60 62 other							
62 80 Tan Sandy Clar 80 161 Shale	f						
161 165 Sandstone							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🔀 constructed, 🗆 reconstructed, or 🗀 plugged							
under my jurisdiction and was completed on (mo/day/year) //. // and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No							
under the business name of Jantzm Well. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau o	of Water, Geol	ogy Section	on, 1000 SW Jac	ckson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .							
KSA 82a-1212	West-Will Washington					determinant Mentre Market Comment of the Comment of	