


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Hamilton	Fraction NE 1/4 NW 1/4 SW 1/4	Section number 1	Township number T 25	Range number S R 39	E/W
2. Distance and direction from nearest town or city: 2 S, 1/2 W, of Kendall, Kansas Street address of well location if in city:				3. Owner of well: Roger Ramsey R.R. or street: Imperial Route City, state, zip code: Garden City, Kansas 67846			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 28 in. Completion date 12-15-76 Well depth 140 ft.			
		1320' E and 2140' N of the SW corner of the SW 1/4, Sec. 1, T25S, R39W, Hamilton County, Kansas		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary			
5. Type and color of material				From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Sandy soil				0	2	9. Casing: Material Stl Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 37 lbs./ft.	
Fine sand				2	10	Dia. 16 in. to 65 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 188	
Boulders and coarse gravel				10	50	10. Screen: Manufacturer's name Doerr	
Tan clay				50	65	Type louver Dia. 16" Slot/gauze 1/8" Length 75 Set between 65 ft. and 140 ft. ft. and ft. Gravel pack? yes Size range of material 6.0 mm	
Coarse sand and coarse gravel				65	80	11. Static water level: 52 ft. below land surface Date May 30, 77	
Fine to coarse sand medium gravel				80	90	12. Pumping level below land surfaces: not pumped ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 2000 g.p.m.	
Tan clay with sand streaks				90	110	13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
Coarse sand and medium gravel with cemented sand streaks				110	140	14. Well head completion: Pitless adapter <input checked="" type="checkbox"/> Inches above grade	
Black shale				140	160	15. Well grouted? yes With: Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Depth: From 0 ft. to 10 ft.	
BROCK 140'						16. Nearest source of possible contamination: unk ft. Direction Type Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
						17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Layne & Bowler Model number 12 KL HP Volts Length of drop pipe 100 ft. capacity 800 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
(Use a second sheet if needed)						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne-Western Co., Inc. 102 Business name License No. Address Garden City, Kansas Signed R. J. Kinsert Date 15 Dec 76 Authorized representative	
18. Elevation:		19. Remarks:					
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley							