			WATER WE	LL RECORD	Form WWC-5	KSA 82a	-1212			
1 LOCATION	ON OF WA	TER WELL:	Fraction		Section	n Number	Township	Number	Range Number	
County: I	HAMILTO	ON	NC 1/4 NC	C 1/4 NW	1 1/4	6	T 25	s s	R 39₩ ₽ ₩	
Distance a	ınd direction	from nearest town	or city street address		ed within city?					
S. OF	KENDA	LL @ BIG B	RIDGE. 1.5	W. THEN	3MI.W .5	N. 1W.	1.45.0	RD U TC	LOCKED GATE.	
	R WELL OW		PROD.							
_	Address, Bo	_		•			Board o	I-6 CAT	TLE CROSS H Division of Water Resources	
	, ZIP Code		R CO.80201			Application Number: 940/76				
			DEPTH OF COMPL				Applicat	ion Number.	170116	
AN "X"	IN SECTIO	N DC)V.	4							
		<u> </u>								
Ī	1.	! ! \							51394	
-	- X	NE							mping 8.5 gpm	
	个	, E	Est. Yield 85	gpm: Well wat	erwas	ft. at	ter	hours pu	mping gpm	
.≝ w ⊢	ı	_E B	3ore Hole Diameter	$.9\frac{1}{2}$ in. to	80	ft., a	and	in.	to	
* w	1	ı v	WELL WATER TO BE	USED AS:	5 Public water	supply	8 Air conditioni	ng 11	Injection well	
7	5)44		1 Domestic	3 Feedlot	6 Dil field water	supply	9 Dewatering	12	Other (Specify below)	
-	- 2W	36	2 Irrigation	4 Industrial	7 Lawn and gar	den only	10 Monitoring w	/ell		
1	i		Nas a chemical/bacter	iological sample	submitted to Dep	artment? Ye	sNo	.X: If ves.	mo/day/yr sample was sub-	
<u> </u>			nitted		•		ter Well Disinfe	-		
5 TYPE C	OF BLANK (CASING USED:		rought iron	8 Concrete				I X Clamped	
1 Ste		3 RMP (SR)		sbestos-Cement		=			ed	
2 P V		4 ABS		berglass			') 		ded	
									n. to ft.	
				veight 4		IDS./			b . 265	
		R PERFORATION	_		7)PVC			sbestos-ceme		
1 Ste		3 Stainless s		berglass	8 RMP	(SR)				
2 Bra		4 Galvanized		oncrete tile	9 ABS		12 N	lone used (op	′	
SCREEN (OR PERFO	RATION OPENING	S ARE:		ed wrapped		8 Saw cut		11 None (open hole)	
1 Co	ontinuous slo	t 3 Mill	slot	6 Wire	wrapped		9 Drilled hole			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From2.0ft. to8.0ft., Fromft. toft.										
									o	
G	GRAVEL PA	CK INTERVALS:	From 1.5	ft. to .	8.0	ft., Fror	n	ft. t	o	
			From	ft. to		ft., Fror	n	ft. t	ft.	
6 GROUT	MATERIAL	.: 1 Neat ce	ment 2 Cer	ment grout	3 Bentoni	te 4	therHC	LE PLUC		
Grout Inter	rvals: Fro	m	t. to 20	ft., From	ft. to		ft., From		ft. to	
What is the		ource of possible co							pandoned water well	
1 Septic tank 4 Lateral		lines	7 Pit privy		11 Fuel:	storage	(15)0	il well/Gas well		
2 Sewer lines 5 Cess p		oool	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)			
3 Watertight sewer lines 6 Seepage				9 Feedyard			ticide storage		(000)	
Direction f		SOUTHEA		o recayara		How mai	•	100'		
FROM	TO	BOOTHER	LITHOLOGIC LOG		FROM	TO	ly leet:	PLUGGING II	NTERVALS	
0	3	TOP								
3	1	SANDY CLA	· V							
15		DANDI CDA								
70		CAND C CD	' A \ / L' I							
	1	SAND & GR								
/ U	1	SAND & GR BLUE SHAL								
/ 0	1									
70	1									
7.0	1									
70	1									
70	1									
70	1									
70	1									
70	1									
70	1									
70	1									
70	1									
	80	BLUE SHAL	E	This water wall						
7 CONTE	80 RACTOR'S	BLUE SHAL	S CERTIFICATION: 1						er my jurisdiction and was	
7 CONTF	RACTOR'S (BLUE SHAL OR LANDOWNER'S (year)	S CERTIFICATION: 1		a	nd this reco	rd is true to the	best of my kn	owledge and belief. Kansas	
7 CONTF completed Water Wel	RACTOR'S on (mo/day) Contractor	DR LANDOWNER'S 'year')	S CERTIFICATION: TO 1. 13. 1. 14. 14. 14. 14. 14. 14. 14. 14. 14.	This Water V	Vell Record was	nd this reco completed	rd is true to the on (mo/day/yr)	best of my kn		
7 CONTF completed Water Wel under the	RACTOR'S on (mo/day I Contractor business na	DR LANDOWNER'S /year) 5 s License No. KW me of HOWARD	S CERTIFICATION: 10-13-94 IWCL-430 DRLG.CO.BC	This Water V	Vell Record was EAVER, OK	nd this reco completed of By3(Sigh2	rd is true to the on (mo/day/yr)	best of my kn	owledge and belief. Kansas	