WATE	R WELL	RECORD	Form WWC-5			Division of Water Resources; App. No.					
County:	H	WATER WELL: lamilton	SE ¼	SE ¼	NW 1/4	18		T 25	s	Range Number R 39 E/W	
Distance a	and direction	on from nearest town	or city stre	eet address	of well if	Global Pos	sitioning	System (decima	ıl degr	ees, min. of 4 digits)	
located within city? 6 south, 6 east, ½ south, ½ east from Syracuse Latitude: N37 deg , 52' 46.2" Longitude: W101 deg 38' 30.2"											
2 WATER WELL OWNER: Harold Shetterly Elevation: 3274ft.											
RR#, 5	St. Address	, Box # : P. O, B	ox 41			Datum:					
City, S	RR#, St. Address, Box # : P. O, Box 41 Datum: City, State, ZIP Code : Kendall KS 67857-0041 Data Collection Method: 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 220 ft.										
3 LOCA	TE WELI	L'S 4 DEPTH OF	COMPL	ETED WE	LL <u>220</u>			ft.			
LOCA		Danth (a) Cuarre	. d				0 0			2	
	I AN "X" I TON BOX	Depth(s) Groun	idwater En	countered.	·	Δ 1) 1.	π. 2	T	t. 3	ft. ay/yr	
SECI		WELL SSIA	tost detai	Well wet		n. below is	and suria	ce measured on	mo/a	ay/yr	
Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public vector country. 8 Air conditioning 11 Injurior 11											
Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											
WELL WATER TO BE USED AS. 3 Fublic water supply 8 Air conditioning 11 injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)											
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well											
SW — SE —											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
S Sample was submitted Water Well Disinfected? Yes X No											
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
1 Ste	eel	3 RMP (SR) 6	Asbestos-	Cement	9 Other	(specify be	elow)	W	Velde	damped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Facter Threaded Blank casing diameter 5 in. to 220 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 24 in., Weight Ibs./ft. Wall thickness or gauge No. SDR 21 & 17											
Blank casing diameter 5 in. to 220 ft., Dia in to ft. Dia in to ft											
Casing height above land surface 24 in., Weight lbs./ft. Wall thickness or gauge No. SDR 21 & 17											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 120 ft. to 140 ft. From 160 ft. to 180 ft.											
SCREEN-PERFORATED INTERVALS: From 120 ft. to 140 ft. From 160 ft. to 180									180 ft.		
			From	200	ft. to	220	ft. Fro	om	ft. to	ft.	
GR	AVEL PA	CK INTERVALS:	From	20	ft. to	220	_ ft. Fro	om	ft. to	ft.	
			From		ft. to		ft. Fro	om	ft. to)	
From 200 ft. to 220 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to 220 ft. From ft. to ft. From ft. to ft. From ft. to ft. GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft.											
Grout Inte	rvals F	rom 0 ft. to	20 f	t. From	f	t. to	ft.	From		ft. to ft.	
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? 12 Fertilizer storage 15 Oil well/ gas well How many feet?											
FROM	TO		LOGIC LC)G	FRO	OT N		PLUGGING	INTE	RVALS	
20	35	Fine sand & sandy Sand & gravel	ciay				-				
35	50	Sand & graver					\vdash				
50	120	Shale & rock strea	ks								
120	205	Sandstone, white &	& brown								
205	220	Shale									
							ļ				
							 				
		S OR LANDOWN			ION: This						
		nd was completed on (mo/day/yea	r) <u>5/5/08</u>		and this	record is	true to the best of	my k	nowledge and belief.	
		ntractor's License No.	473	This \	Water Well	Record was	completed	l on (mg/d y/year	3	/2 /08	
1		e of Tyler Water V	1 022, 2220		0) (0.8.						
HINSTRUCT	TONS Pleas	e fill in blanks or circle th	e correct ans	wers Send to	n three conie	s to Kansas D	epartment	or Health and Enviro	onment	. Bureau of water.	

Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.