WATER WELL I		rm WWC-5		ision of Water			
✓ Original Record		Change in Well Use		urces App. No.		Well ID	
1 LOCATION OF V County: Hamilton	VATER WELL:	Fraction SE 1/4 SE 1/4 NE	I	tion Number 29	Township Numb	Range Number R 39 \square E \square W	
2 WELL OWNER:		First:				(if unknown, distance and	
Business: Pine Trees		rust.				r's address, check here:	
Address: 2980 EE-0						_	
Address:		1/0 07057					
City: Kendall	State:	KS ZIP: 67857					
3 LOCATE WELL WITH "X" IN	4 DEPTH OF	COMPLETED WELL:	300 ft.	5 Latitude	37.8456	38 (decimal degrees)	
SECTION BOX:		Depth(s) Groundwater Encountered: 1)					
N N	2)	2)					
	WELL'S STATION	C WATER LEVEL:	ft. \ 09/16/2021	Source for	or Latitude/Longitude		
	D above land s	urface, measured on (mo-da urface, measured on (mo-da	y-yr)		*)	
NW NE		Well water was		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
W E		hours pumping		Online Mapper:			
' '	,	Well water was	. ft.				
SW SE - X	after	hours pumping	gpm	6 Florestic	an: A	. ☐ Ground Level ☐ TOC	
	Estimated Yield:	20 gpm eter: 9.5 in to 300)			GPS Topographic Map	
S 1 mile	Bore Hole Diame					OI 5	
7 WELL WATER TO	DE USED AS:	in. to	, , , , , , , , , , , , , , , , , , ,				
1. Domestic:		lic Water Supply: well ID		10. □ Oil F	ield Water Supply: Je	ease	
✓ Household		vatering: how many wells?			le: well ID		
☐ Lawn & Garden	7. 🔲 Aqu	ifer Recharge: well ID			d 🗌 Uncased 🔲		
☐ Livestock		nitoring: well ID			mal: how many bores		
2. Irrigation		nmental Remediation: well			ed Loop Horizon		
3. ☐ Feedlot 4. ☐ Industrial		Sparge	r Extraction			scharge Inj. of Water	
	Rec						
		submitted to KDHE?	JYes ∠ No	If yes, date sa	ample was submitte	ed:	
Water well disinfected	··	D DVG D Od	CACD	IC IONITO, I	701 1701	1 D Wilded D Threeded	
Coging diameter 5	in to Steel	PVC Other	CASII	JUINTS: [_ Glued ∠ Clamped	ı ∐ Welded ∐ Inreaded	
Casing traineter	surface 18	ft., Diameter	III. 10	Wall thickne	ss or gauge No. SDF		
TYPE OF SCREEN O	R PERFORATION	I MATERIAL:		Wan iniciale	ss of gauge No	************	
	inless Steel	₽ PVC		☐ Other	(Specify)		
☐ Brass ☐ Gal	vanized Steel	☐ None	used (open hole				
SCREEN OR PERFOR							
Continuous Slot	☐ Mill Slot						
Louvered Shutter	☐ Key Punched	From .180 ft. to .200	Saw Cut N	lone (Open Hole	8) 800 A F	Δ Δ	
GRAVEI DA	CV INTERVALS;	From	II., From .	20 A to	110 θ From	п. ю п.	
		t ☐ Cement grout ☑ F					
Grout Intervals: From	5 ft to 11	0 ft From	ft to	ft From	ft to	fi	
Grout Intervals: From							
Septic Tank							
☐ Sewer Lines	☐ Cess :		_agoon	Fuel Storage		oned Water Well	
☐ Watertight Sewer L				Fertilizer Storag	ge □ Oil We	ell/Gas Well	
☐ Other (Specify) Direction from well? .N Distance from well? .75 ft.							
10 FROM TO		OLOGIC LOG	FROM			r PLUGGING INTERVALS	
						-	
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Z constructed, _ reconstructed, or _ plugged							
under my jurisdiction a	and was completed	on (mo-day-year) .09/16	/2021 and	this record is t	rue to the best of m	y knowledge and belief.	
Kansas Water Well Co	ntractor's License	No846 This V	Vater Well Rec	ord was comp	leted on (mo-day-y	ear) .09/22/2021	
under the business nan	<u>ie of Nash Wate</u>	r Well Service, LLC		· · · · · · · · · · · · · · · · · · ·		11	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							

Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5		
Contractor	Nash Water Well Service, LLC		
Well Owner			
Doc ID	1591734		

Lithology

<u></u>		
0	20	TOP SOIL FINE MEDIUM SAND BROWN CLAY
20	40	TAN BROWN CLAY WITH FINE SAND STREAKS
40	50	FINE COARSE SAND WITH SMALL MEDIUM GRAVEL
50	60	TAN BROWN CLAY WITH FINE MEDIUM SAND STREAKS
60	85	FINE MEDIUM SAND WITH THIN TAN CLAY STREAKS
85	87	CALICHE WHITE ROCK
87	98	TAN GRAY YELLOW CLAY FINE SAND STREAKS
98	100	BLUE CLAY
100	125	BLUE SHALE
125	144	BLUE SHALE WITH TAN SANDSTONE STREAKS
144	147	TAN BROWN CLAY WITH SANDSTONE
147	152	TAN SANDSTONE WITH TIGHT SANDSTONE STREAKS
152	180	GRAY CLAY WITH TAN SANDSTONE 40%
180	200	GRAY CLAY WITH GRAY SANDSTONE 60%
200	250	GRAY CLAY WITH GRAY SANDSTONE 10%

Form	WWC5		
Contractor	Nash Water Well Service, LLC		
Well Owner			
Doc ID	1591734		

Lithology

250	280	GRAY SANDSTONE 100%
280	300	GRAY SANDSTONE WITH BLUE CLAY 90%
300	320	BLUE SHALE