WAIER WEL	L RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION	OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Reno		NE 1/4 SW 1/4 SE 1/4 SW 1/4	
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here . Latitude: .37.89909			
Longitude: 09			Longitude: 097.76845 (in decimal degrees)
			Elevation: 1484
			Datum: WGS 84, NAD 83, NAD 27
2 WATER WELL OWNER: City of Haven			Collection Method:
RR#, Street Address, Box #: 120 S. Kansas Avenue			GPS unit (Make/Model: Garmin csx
City State ZID Code			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
City, State, ZIP Code : Haven, Kansas 6		Kansas 67543	Est. Accuracy: $\square < 3 \text{ m}$ , $\square 3-5 \text{ m}$ , $\square 5-15 \text{ m}$
3 LOCATE WELL			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40			
SECTION BOX			
SECTION BOX: Depth(s) Groundwater Encountered (1)			It. (2) II. (3) II.
WEEL SSTATIC WATER ELVEL			
Pump test data: Well water wasft. after hours pumping gpm			
EST. YIELDgpm. Well water wasft. after hours pumpinggp			ft. after hours pumping gpm
w   1   1	E   Bore Hole Diam		t., andft.
<del>       </del>	→ WELL WATER	TO BE USED AS:  Public wat	er supply Geothermal Injection well
SWSE -     Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)			
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No			
s		day/yr sample was submitted	
1 mile		fected? ✓ Yes □ No	
water well districted: [4] Tes 10			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded			
Casing diameter .2 in. to .30 ft., Diameter in. to ft., Diameter in. to			
Casing height above land surface. 30 in., Weight SCH 40 lbs./ft., Wall thickness or gauge No154			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel			
Brass		None used (open hole)	Other (Specify)
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From30			
From			
GRAVEL PACK INTERVALS: From			
GRAVEL PACK INTERVALS: From			
From			
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other			
Grout Intervals: From .28 ft. to .26 ft., From .26 ft. to .0 ft., From ft. to ft.			
What is the nearest source of possible contamination:			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well			
Direction from well .N			
FROM TO	LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
	Topsoil		
	Brown clay		
		llo	
	Redish tan cly,sft cly ba		
30 40	Fine snd,pieces of tan o	CIY	
	- AMERICAN		
T CONTENT : COTO	DIG OD F AND OTTO	to CEDMINICA THOSE TO THE	" 7
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   Constructed, □ reconstructed, or □ plugged			
under my jurisdiction and was completed on (mo/day/year) .8-4-09			
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 8-13-09			
under the business name of Rosencrantz-Bernis Ent. by (signature)			
INSTRUCTIONS: U	se typewriter or ball point pen.	PLEASE PRESS FIRMLY and PRINT clea	arly. Please fill in blanks and check the correct answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
		ER WELL OWNER and retain one for y	our records. Include fee of \$5.00 for each constructed well. Visit us at
	v/waterwell/index.html.		OLI MINI C. C. C.
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy			