WATER WELL R		WWC-5		sion of Water				
Original Record		ge in Well Use		rces App. No.		Well ID		
1 LOCATION OF W	Fraction	Sect	ion Number	Township Number Range Number				
County: RENO	NW 1/4 NW 1/4 NE 1/4							
2 WELL OWNER: Last Name: YOUNG First: PHILLIP Street or Rural Address where well is located (if unknown, distance and								
Business: direction from nearest town or intersection): If at owner's address, check here:								
Address: 17401 SOUTH RAYL ROAD Address:								
140								
City: HAVEN 3 LOCATE WELL	T T			T				
WITH "X" IN	"IN 4 DEPTH OF COMPLETED WELL:							
SECTION BOX:		Encountered: 1)		Longitud	le: <u></u>	<u></u> (decimal degrees)	
N	2) ft.	2)						
	WELL'S STATIC WATER LEVEL: 43 ft. Source for Latitude/Longitude: GPS (unit make/model:							
. 29			GPS (unit make/model:)					
NW NE		e, measured on (mo-day-y water was ft.	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w + e	after hour	Land	Online Mapper:					
1 1 1 1 1 1		ie mapper						
SW SE	Well water was ft. after hours pumping gpm							
	Estimated Vield: 20	Estimated Yield:20gpm			6 Elevation:			
S	Bore Hole Diameter: .	Bore Hole Diameter:19.5 in. to130 ft. and Source: Land Survey GPS 1 Topograf						
mile		in. to	<u></u> ft.	<u> </u>	Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID			eld Water Supply: le			
Household	6. Dewateri		11. Test Hole: well ID					
☐ Lawn & Garden		Recharge: well ID		☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock		ng: well ID		12. Geothermal: how many bores?				
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID ☐ Air Sparge ☐ Soil Vapor Extrac			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water				
4. ☐ Industrial	☐ Recovery		xuaction					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
. Water well disinfected? ■ Yes □ No								
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other								
Casing diameter 5 in to 130 ft. Diameter in to ft. Diameter in to ft. Diameter in to SDR-26 ft. Wall thickness or gauge No. SDR-26								
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Fiberglass ■ PVC □ Other (Specify)								
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .50 ft. to .130 ft., From ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: □ Neat cement □ Cement grout ■ Bentonite □ Other								
Nearest source of possible contamination:								
■ Septic Tank								
☐ Sewer Lines	Cess Pool	☐ Sewage Lag		uel Storage		oned Water V	Well	
☐ Watertight Sewer Lin				Fertilizer Storage	e □ Oil We	ell/Gas Well		
☐ Other (Specify)								
10 FROM TO	LITHOLO		FROM		π. ΓΗΟ. LOG (cont.) or		SINTEDUALS	
	TOP SOIL	OIC LUG	FRUM	IU LI	ino. Lou (cont.) of	LEGGGING	JULITER AUTO	
	CLAY		 					
			 	-				
	MEDM SAND		+					
13U 1	RED SHALE		 					
			 					
			Nata					
			Notes:					
11 CONTRACTORIS OR LANDOWNERS CERTIFICATION. This mater wall was a constructed or I plugged								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .7/19/2018 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) 9/6/2018								
under the business name of WENINGER DRILLING.LLC								
Mail 1 white copy alo	ong with a fee of \$5.00 for ea	ach constructed well to: Kans	sas Department	of Health and Env	ironment, Bureau of W	ater, GWTS S	ection,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								