WATER WELL RECORD Form WWC-5 KSA 828-1212

| WATER WELL RECORD Form WWC-5 KSA 82a-1212 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number COUNTY: HAMILTON NE 1/4 SE 1/4 NE 1/4 2 T 25 S R 42 W |
| Distance and direction from nearest town or city street address of well if located within city? FROM SYRACUSE, 4 S OM 27, 7 MEST & 1/4 SOUTH |
| 2 WATER WELL OWNER: BARSTON, BERTLE RR#, St. Address, Box # : P.O. BOX 1065 Board of Agriculture, Division of Water Resources City, State, ZIP code : SYRACUSE, KS 67878- Application Number: |
| 3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 348 ELEVATION: 0 AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft. |
| WELL'S STATIC WATER LEVEL 242 ft. below land surface measured on mo/day/yr 08/16/97 Pump testdata: Well water was 0 ft. after 0 hours pumping 0 gpm |
| Estimated Yield 20 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm |
| Bore Hole Diameter 9 in. to 348 ft., and in. to 0 ft. |
| Was a chemical/bacteriological sample submitted to department? No; If yes, mo/day/yr sample was submitted Water well disinfected? Yes |
| 5 TYPE OF BLANK CASING USED: PYC CASING JOINTS: GLUED Blank casing diameter 5 in. to 348 ft., Dia in. to 0 ft., Dia in. to 0 ft. Casing height above land surface 200 in., weight 12 lbs/ft. Wall thickness or gauge No. 21 17 TYPE OF SCREEN OR PERFORATION MATERIAL: PYC SCREEN OR PERFORATION OPENINGS ARE: SAW CUT |
| SCREEN PERFORATED INTERVALS: From 305 ft. to 345 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft. GRAVEL PACK INTERVALS: From 25 ft. to 348 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft. |
| 6 GROUT MATERIAL BENTONITE Grout Intervals: From 0 ft. to 25 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: ABANDONED WELL Direction from well? NORTH How many feet? 60 |
| FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 20 TOPSOIL CLAY 20 55 CLAY LIMESTONE IN LAYERS 55 250 BLUE SHALE 250 260 GRAY CLAY SANDSTONE 260 350 SANDSTONE |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 08/16/97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) 08/25/97 under the business name of JOE'S WELL SERVICE, INC. by (signature) |