

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: | Fraction | Section Number | Township Number | Range Number
COUNTY: 038 HAMILTON | SW 1/4 NW 1/4 SE 1/4 | 31 | T 25 S | R 42 W

Distance and direction from nearest town or city street address of well if located within city?
FROM COOLIDGE, APPX 13 3/4 MILES SOUTH & 1 1/4 MILES EAST

2 WATER WELL OWNER: FRONTIER DAIRY
RR#, St. Address, Box #: PO BOX 1228 Board of Agriculture, Division of Water Resources
City, State, ZIP code: SYRACUSE, KS 67878-1228 Application Number: 12,487

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | 4 DEPTH OF COMPLETED WELL 455 ELEVATION: 0
Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.
WELL'S STATIC WATER LEVEL 262 ft. below land surface measured on mo/day/yr 02/24/07
Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm
Estimated Yield 0 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm
Bore Hole Diameter 30 in. to 230 ft., and 20 in. to 450 ft.
WELL WATER TO BE USED AS: 12-OTHER-DAIRY
Was a chemical/bacteriological sample submitted to department? No;
If yes, mo/day/yr sample was submitted Water well disinfected? Yes

5 TYPE OF BLANK CASING USED: 01 STEEL CASING JOINTS: WELDED
Blank casing diameter 24 in. to 230 ft., Dia 12.75 in. to 450 ft., Dia in. to 0 ft.
Casing height above land surface 12 in., weight 63 lbs/ft. Wall thickness or gauge No. .250
TYPE OF SCREEN OR PERFORATION MATERIAL: 03 STAINLESS ST
SCREEN OR PERFORATION OPENINGS ARE: 01 CONT. SLOT

SCREEN PERFORATED INTERVALS: From 310 ft. to 450 ft., From 0 ft. to 0 ft.
From 0 ft. to 0 ft., From 0 ft. to 0 ft.
GRAVEL PACK INTERVALS: From 230 ft. to 450 ft., From 0 ft. to 0 ft.
From 50 ft. to 180 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL 02 CEMENT GROUT
Grout Intervals: From 0 ft. to 50 ft., From 180 ft. to 230 ft., From 0 ft. to 0 ft.
What is the nearest source of possible contamination: NONE OBSERVED
Direction from well? How many feet? 0

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows describe geological layers from 0 to 176 feet depth, including silt, sandy clay, sand, and fine gravel.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 02/18/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 05/02/07 under the business name of HENKLE DRILLING & SUPPLY by (signature)

(Continued)

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
COUNTY: 038 HAMILTON	SW 1/4 NW 1/4 SE 1/4	31	T 25 S	R 42 W

2 WATER WELL OWNER:	FRONTIER DAIRY	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	PO BOX 1228	Application Number: 12,487
City, State, ZIP code :	SYRACUSE, KS 67878-1228	

FROM	TO	LITHOLOGIC LOG
184	203	04 SANDY CLAY 05 SAND
203	225	05 SAND
225	285	31 CALICHE 28 ROCK
285	376	23 SANDSTONE 31 CALICHE
376	386	23 SANDSTONE
386	450	23 SANDSTONE
450	460	19 SHALE

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 02/18/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 05/02/07 under the business name of HENKLE DRILLING & SUPPLY by (signature) *Bruce J. Reichmuth*