USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## DURKEE CREEK &

WATER WELL RECORD KSA 82a-1201-1215

AAB

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

						į	,	
	County	Fraction		Section	number	Township number	Range number	
1. Location of well:	Hamilton .	NW 1/4 NE 1/4 I	NE 1/4	2	26	<sub>T</sub> 25 s	R 43 E	
2. Distance and direction from nearest town or city: 17 north, 14 west 3. Owner of well: Eldon Garrett								
In north a least I north of Hiway Jct. 160 R.R. or street:  Box 29235, Havelock Station								
& 270 at Johnson, ≰Sity, sto						Lincoln, Nebr. 68529		
4. Locate with "X" in section below:  N						6. Bore hole dia. 27 in		
, (T)						Well depth 420		
						Hollow rod Jetted Bored Reverse rotary		
					8. Use: Domestic Public supply Indus			
₹ W   1   E						X Irrigation Air conditioning Stock		
						Lawn Oil field water Other  9. Casing: Materialsteel Height: Above or below		
E							Surface36in.	
s						RMP PVC	iWeightIbs./ft.	
I → 1 Mile → I					Γ.	Dia.16 in. to 216 #10p Dia in. to ft. dep	1	
5. Type and color of	material			From	То	10. Screen: Manufacturer's r	name	
Surface				0	2	Lakewood	Pipe of Texas	
						Type <u>stee1</u> Slot/gauze_ <b>3/16!!</b>		
Clay				2	30		ft. andft.	
Sandy clay				30	60	ft. andft. Gravel pack?X Size range of material 4 X 5/8!		
				60	95	11. Static water level:	mo./day/yr.	
Clay							face Date <u>7-25-78</u>	
Sand W/med	ium clay strips	<del></del>		95	105	12. Pumping level below land   270 ft. after   12	d surfaces: hrs. pumping 1100 g.p.m.	
Clay				105	147	ft. after l	hrs. pumpingg.p.m.	
•				147	1.00			
Blue shale				14/	160	13. Water sample submitted: Yes No	mo./day/yr. Date	
Shale and	clay			160	180	14. Well head completion:	Strawall Assessment	
Shale and	sand strips	tioht	20%	180	230	Pitless adapter	36 Inches above grade	
Onaro ana	Juliu Juliu					15. Well grouted? X	Bentonite Concrete	
Shale, roc	k, sandstone and c	lay tight	20%	230	310	Depth: From ft. to		
Shale and	sandstone		80%	310	370	16. Nearest source of possible	e contamination: field	
Shale and	sandstone		60%	370	395		etion? Yes X No	
Shale and sandstone 40%				395	407	17. Pump:  Manufacturer's name	X Not installed	
				407	420	Model number		
Shale and rock				407	420	Length of drop pipe Type:	ft. capacityg.p.m.	
						Submersible	Turbine	
(Use a second sheet if needed)						Jet Centrifuggl	Reciprocating Other	
18. Elevation: 19. Remarks:					I	20. Water well contractor's		
		6				This well was drilled under m		
Topography: 3459 (TCHO)						is true to the best of my know		
Hill	1121					Houck Bros. Dr Business name	License No.	
X Slope						Address Box 487	Ulysses, Ks.	
Upland						Signed Mallin Be	Date 9-29	