


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Hamilton	Fraction NW 1/4 NE 1/4 SW 1/4	Section number 36	Township number T 25 S R 43	Range number EW
2. Distance and direction from nearest town or city: Hwy Jct. at Johnson, Ks. 17 miles north, 13 west 1/2 north Street address of well location if in city:				3. Owner of well: Emerson Chisholm R.R. or street: Box 572 City, state, zip code: McPherson, Ks. 67460		
4. Locate with "X" in section below: N W E S 1 Mile Sketch map: 				6. Bore hole dia. 27 in. Completion date 4/15/77 Well depth 421.5 ft.		
5. Type and color of material				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 14 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.8 lbs./ft. Dia. 16 in. to 218 depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 219		
				10. Screen: Manufacturer's name Lakewood Pipe of Texas Type steel Dia. 16" Slot/gauze 3/16" Length 203.5' Set between 218 ft. and 421.5 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4 x 5/8"		
				11. Static water level: <input type="checkbox"/> mo./day/yr. 201 ft. below land surface Date 4/1/77		
Surface Sandy clay				From 0	To 2	12. Pumping level below land surfaces: 266 ft. after 70 hrs. pumping 1300 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1800 g.p.m.
Clay				10	40	13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>
Medium sand w/clay breakers Sandy clay				40	100	14. Well head completion: <input type="checkbox"/> Pitless adapter 14 inches above grade
Medium sand w/clay breakers				150	160	15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
Clay w/small sandstone strips				160	210	16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type field Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Yellow chalk, shale & sandstone				210	230	17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
Sandstone (lost circulation)				230	320	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Houck Bros. Drlg. Co. 164 Business name <input type="checkbox"/> License No. <input type="checkbox"/> Address Box 487, Ulysses, Ks. Signed M. Beard Date 5/27/77 Authorized representative
Sandstone tight				320	380	
Sandstone w/medium tight strips				380	422	
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

2543036
1/4 NW NE SW
1/4 1/4 1/4