

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Hamilton

Location listed as:

Section-Township-Range: 36-24 S-43 W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): SW SW SW

Location changed to:

36-25 S-43 W

SW SW SW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Written description, records for this well in KGS'
WIMAS & WIZARD databases, and mapping tool & aerial
photo on KGS website. initials: DRD date: 10/22/2008

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: COUNTY: 038 HAMILTON	Fraction SW 1/4 SW 1/4 SW 1/4	Section Number 36	Township Number T 24 S	Range Number R 43 W
---	----------------------------------	----------------------	---------------------------	------------------------

Distance and direction from nearest town or city street address of well if located within city?
FROM MEDWAY; APPX 12 1/2 MILES SOUTH & 6 MILES WEST

2 WATER WELL OWNER: FRONTIER DAIRY LLC
RR#, St. Address, Box # : PO BOX 1228
City, State, ZIP code : SYRACUSE, KS 67878-1228
Board of Agriculture, Division of Water Resources
Application Number: 12,012

3 LOCATE WELL'S LOCATION WITH
AN "X" IN SECTION BOX:

1	---	NW	---	NE	---
M	W				E
i					
l					
e					
		SW		SE	

4 DEPTH OF COMPLETED WELL 467 ELEVATION: 0
Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.

WELL'S STATIC WATER LEVEL 308 ft. below land surface measured on mo/day/yr 10/06/05
Pump test data: Well water was 358 ft. after 4 hours pumping 1000 gpm

Estimated Yield 0 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm

Bore Hole Diameter 24 in. to 467 ft., and in. to 0 ft.

WELL WATER TO BE USED AS: 02 IRRIGATION

Was a chemical/bacteriological sample submitted to department? No ;
If yes, mo/day/yr sample was submitted Water well disinfected? Yes

5 TYPE OF BLANK CASING USED: 01 STEEL CASING JOINTS: WELDED
Blank casing diameter 16 in. to 467 ft., Dia in. to 0 ft., Dia in. to 0 ft.
Casing height above land surface 12 in., weight 42 lbs/ft. Wall thickness or gauge No. .250
TYPE OF SCREEN OR PERFORATION MATERIAL: 01 STEEL
SCREEN OR PERFORATION OPENINGS ARE: 01 CONT. SLOT

SCREEN PERFORATED INTERVALS:	From 352 ft. to 462 ft., From 0 ft. to 0 ft.
	From 0 ft. to 0 ft., From 0 ft. to 0 ft.
GRAVEL PACK INTERVALS:	From 20 ft. to 467 ft., From 0 ft. to 0 ft.
	From 0 ft. to 0 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL 03 BENTONITE
Grout Intervals: From 0 ft. to 20 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.
What is the nearest source of possible contamination: NONE OBSERVED
Direction from well? How many feet? 0

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	02 SILT			
2	17	03 SILTY CLAY 05 SAND			
17	34	06 VERY FN SAND 01 CLAY			
34	79	05 SAND 11 GRAVEL			
79	113	01 CLAY 05 SAND			
113	140	05 SAND			
140	183	07 FINE SAND 08 MEDIUM SAND 01 CLAY			
183	195	01 CLAY			
195	208	05 SAND 01 CLAY			
208	219	01 CLAY 05 SAND			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 10/04/05 and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 12/01/05
under the business name of HENKLE DRILLING & SUPPLY by (signature)

(Continued)

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
COUNTY: 038 HAMILTON	SW 1/4 SW 1/4 SW 1/4	36	T 24 S	R 43 W

2 WATER WELL OWNER:	FRONTIER DAIRY LLC	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	PO BOX 1228	Application Number: 12,012
City, State, ZIP code :	SYRACUSE, KS 67878-1228	

FROM	TO	LITHOLOGIC LOG
219	228	23 SANDSTONE
228	243	31 CALICHE 19 SHALE
243	258	23 SANDSTONE 31 CALICHE
258	264	31 CALICHE
264	291	31 CALICHE 23 SANDSTONE 20 LIMESTONE
291	305	20 LIMESTONE 31 CALICHE
305	310	31 CALICHE 23 SANDSTONE 20 LIMESTONE
310	325	19 SHALE 20 LIMESTONE
325	330	31 CALICHE 19 SHALE 20 LIMESTONE
330	345	31 CALICHE 23 SANDSTONE
345	354	31 CALICHE 23 SANDSTONE
354	363	31 CALICHE 20 LIMESTONE
363	382	31 CALICHE 23 SANDSTONE
382	396	23 SANDSTONE 31 CALICHE
396	414	23 SANDSTONE 31 CALICHE
414	420	19 SHALE 20 LIMESTONE 23 SANDSTONE
420	430	23 SANDSTONE 31 CALICHE
430	440	31 CALICHE 23 SANDSTONE
440	464	23 SANDSTONE 31 CALICHE
464	478	23 SANDSTONE 31 CALICHE
478	490	19 SHALE 20 LIMESTONE

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 10/04/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 12/01/05 under the business name of HENKLE DRILLING & SUPPLY by (signature) 