WATER WELL RECORD Form WWC-5 Division of Water Resources App. No.				
1 LOCATION OF WATER WELL: County: Reno			Fraction SE ¼ SE ¼ NW ¼ NE ¼	Section Number Township No. Range Number
				Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here \(\backslash \). Latitude: .37.83585 (in				Latitude: .37.83585 (in decimal degrees)
From Arlington 3 miles W 2.5 S WSR			SR	Longitude: 098.23869 (in decimal degrees) Elevation: 1645
2 W	TER W	ELL OWNER: Rod Be	rkamp	Datum: ☐ WGS 84, ☐ NAD 83, ☑ NAD 27 Collection Method:
	,	Address, Box #: 12810 S	5. Fairview Road	GPS unit (Make/Model: Garmin
	y, State, Z	Amigio	n, Kansas 67514	☐ Digital Map/Photo, ✓ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ✓ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 52				
	TION BO	X: Depth(s) Ground	water Encountered (1)	ft. (2) ft. (3) ft below land surface measured on mo/day/yr. 5-29-2014
		Pump	test data: Well water was	ft. after hours pumping gpm
NW NE				ft. after hours pumping gpm
W Bore Hole Diameter				
Demostic Deadlot Doil field water supply Dewatering Dother (Specify below)				
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well stock				
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No				
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes No				
5 TYPE OF CASING USED: Steel PVC Other Other				
CASING JOINTS: Glued Clamped Welded Threaded				
Casing diameter .5. in. to .20. ft., Diameter in. to ft., Diameter in. to ft.				
Casing height above land surface. 24 in., Weight .160 lbs./ft., Wall thickness or gauge No214				
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From				
From				
Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:				
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
		m well		from well
FROM 0	TO 3	LITHOLOG Top soil	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
3	8	Brown clay		
8	21	Tan clay, fine sand mix	60/40	
21	26	Fine to small sand		
26	52	Red shale w/pcs. of gre	een	
				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged				
under my jurisdiction and was completed on (mo/day/year) .5-29-2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .5-29-2014				
under the business name of Rosencrantz-Bemis Ent. by (signature) Array Lada and Lada				
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy				