1. 201			I WID ACTION	Water Well Record	Form WWC-5	KSA 82a-1212	* =	
Ш		TER WELL:	FRACTION			Section Number	Township Number	Range Number
Sedgwick SW 1/4				SW 1/4	34	т 26 в	R 1W E/W	
Distance and direction frem nearest town or city street address of well if located within city?								
29th St. N. and Ridge Road Wichita, Kansas								
WATER WELL OWNER: WICHITA, CITY OF  RR#, ST. ADRESS, BOX #: 455 N. Main  Board of Agriculture, Divivsion of Water Resource								
			·		65000			
CITY, STATE, ZIP CODE: Wichita, Kansas 67203 Application Number: 980214  LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 40 ft. ELEVATION:								er: 980214
	' IN SECTIO			water Encountered	40 1	ft. El	LEVATION: 2 ft.	3 ft.
1 1		<del>-}</del>	WELL'S STATIC W				URFACE MEASURED ON mo/day/yr	03/31/1999
			Pump tes		water was	ft.	after hours pur	, ,
'	NW	NE	Est. Yield	VICE .	water was	ft.	after hours pur	
M Mile		1 1 1	Bore Hole Diameter	12 in.	to 40	ft.	and in.	to ft.
Į≅w		, E	WELL WATER TO		5 Public wate			Injection well
	x		1 Domestic		6 Oil field wa			Other (Specify below)
	/ SW	SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well	· -
			Was a chemical/bact	eriological sample su	bmitted to De	epartment? Yes	No X ; If yes, i	mo/day/yr sample was
S submitted Water Well Disinfected? Yes X No								
5 TY	PE OF CA	SING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS:	Glued X Clamped
1 Stee	l	3 RMP (SR)		6 Asbestos-Ceme	nt 9	Other (Specify	below)	Welded
2 PVC	•	4 ABS		7 Fiberglass	S	DR-26	,	Threaded
Blank ca	 sing Diam	eter 8	in. to 20	ft., Dia	in.	to	ft., Dia in.	to ft.
	-	_	.2 in.,	weight 5		lbs. / ft.	Wall thickness or gauge No.	.332
			TION MATERIAL:	C Fil and loge		PVC	10 Asbestos-cen	
1 Stee		3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specif	• *
2 Bras	_	4 Galvanized stee		6 Concrete tile		ABS	12 None used (o	• /
		REFORATION OPE			ed wrapped		8 Saw cut	11 None (open hole)
•	ious slot	3 Mill slo		6 Wire	wrapped		9 Drilled holes	
	red shutte	• •		7 Torch	n cut		10 Other (specify)	
SCREE	N-PERFO	RATION INTERV	ALS: from 20	) ft.	to 40	ft., Fro	m ft. to	ft.
from					to	ft., Fro	m ft. to	ft.
GRAVEL PACK INTERVALS: from 20				=	. to 40	ft., Fro		244
from ft. to ft., From ft. to ft.								
Grout Intervals: From 0 ft. to 20 ft. From ft. to								
		rrom () t source of possible		ft. From	om ft. to 10 Livestock p		ft. From tock pens 14	ft. to ft. Abandon water well
1 Septic tank 4 Lateral lines				7 Pit privy				
2 Sewer lines 5 Cess pool							- 15	Oil well/Gas well Other (specify below)
	rtight sewe		-	9 Feedyard		13 Insecticide storage		` .
3 Watertight sewer lines 6 Seepage pit 9 Feedyard None Apparent Direction from well?  How many feet?								
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								
0	3	fine san	d					
3	5	clay						
5	23		oarse sand	<u>L</u>				, <u>.</u>
	24	clay						
24	40	medium s	and			_		
		_		*****				
		•				_		
						<del></del>		
7 CONTRACTORIS ON LANDOWNERS CERTIFICATION. This water well was (1) constructed (2) reconstructed or (3) plugged under my jurisdiction and								
1 - 1 CONTRACTOR SOREANDOWNERS CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under thy jurisdiction and								
was completed on (mo/day/year)								
Under the business name of Harp Well & Pump Service. Inc. by (signature)								
Todd S. Harp								
i							0 0 0 0 0 0	3. 000 g