WATER WELL	PECOPO	Form \\\\\\C-5	KSA 82a-1212
AAVILIA AAFFF	ILCOILD	I OHIL VV VV C-O	110/1 020-1212

1 LOCATION OF	WATER	WELL:	FRACTION		<u> </u>		SECT	ION NUMBER	TOWNSH	IIP NUMBER	RANGE NU	JMBER
[∐] Sedgwicl				4 NW	1/4	SE	1/4	29	Т	26 s	R 1W	Z E/W
		nearest town or city	street address of	well if located	d within city?					است میداند. است	energia en	
4118 N. l	Fiddle	rs Cove	Ma	ize, Kai	nsas						e de la companya del companya de la companya del companya de la co	august and a state
WATER V		Approved the second second second second second	S CONSTR	UCTIO	N							
RR#,ST. ADD	RESS,	BOX #: 1033	3 E. 21st #3	03						Board of Agri	culture, Division of W	/ater Resou
	CITY, S	STATE: Wich	nita, Kansas	S.			ZI	CODE:		Application Num	nber:	
LOCATE WE	LL'S LO	cation 4	DEPTH OF CO	MPLETED	WELL:	65	ft.		ELEVATION:			
WITH AN "X"	' IN SEC' N	TION BOX:	pth of groundwa				ft.			ft.		ft.
1 1	- j -		ELL'S STATIC \			4	FT. BELO	W LAND SU	RFACE MEAS	SURED ON mo/o	lav/vr: 2/4	/14
NW		-NE		Pump test		ell water		., ., .,	ft, after		of pumping @	<u>-</u>
1		NE.	Est. Yield:	gpr		/ell wate			ft. after		of pumping @	g
<u> </u>	-	- , 	ore Hole Diame	- 1	4 in.		to 6	5 ft.	and	in .a	to	
-		Wi	ELL WATER TO	D BE USE				 		9. Dewateri	ng 11. Inje	ction well
sw		-\$E 1	Domestic	3. Feedlo					nd garden or		12. Other (S	pecify bel
		24 T 1 2 Z 1	2 Irrigation	4. Industr				8. Air cond		10. Monitorin	ig well what mo/day/yr v	vás samnli
	S	1	Vas a chemical/ba bmitted	icteriological	sample submi	tted to De	partment?	YES Was W	ater Well Dis		7.75	Vas sampi VO
TYPE	OF CAS	NG USED:	<u> </u>		<u> </u>		0.0			ASING JOINTS: (Glued	Threaded
1. Ste		3. RPM (SF	R) 5. Wrou	ght Iron	7. Fibe	rglass		her (Specify	below). Cr	AGING JOHNIO.	Welded	Clamped
2. PV	/C	> 4. ABS	6 Asbes	stos-Cemei	nt 8, Con	crete tile	SD	R-26			- , =,====	C.G.TIPGC
Blank casing of	diamete	r 5	in. to	45	ft., D	ia.	in.	to	ft.,	Dia.	in. to	ft.
Casing heigh	t above	land surface:	12 in	•	Weigl	ht: 2	2.35	os. / ft.	Wall	thickness or gaug	ge No214	
		R PERFORATION		,							,,	
1. Steel	3	Stainless Steel	5. Fibergla	ass	7. PVC	\geq	9. A	BS	11, (Other (specify)		
2. Brass	4	. Galvanized	Concret	te Tile	8. RMP	(SR)	10. A	sbestos-Cem	ent 12. l	Vone used (open	hole)	
SCREEN OR	PERFO	RATION OPENING	GS ARE									
1. Continuo				5. Gauzed	wrapped		7. To	rch cut	9. D ı	illed holes	11. None (open hole
2. Louvered	chutto	r 4. Keý p	unched	6. Wire wr	anned		(8 Sa	w cut	10. O	ther (specify)		
			unched							(0 000,7)		
SCREEN - PE	RFORA	TION INTERVAL	From	45	ft.	to	65	ft.,	From	ft.	to	ft
			From	A .	ft.	to		ft.,	From	ft.	to	ft
GRAV	/EL PA	CK INTERVALS:	From	24	ft.	to	65	ft.,	From	ft,	to	ft
		e monoto actores especialista.	From		ft.	to		ft.,	From	ft.	to	ft
GROUT N	MATERI	ALS: 1. Neat	cement	2. C	ement Grou	ıt		Bentonite		Other bent	onite hole pl	ug
Grout Inter		From 4	* ***	to 24	ft.,	From	ft.	to	ft.;	From	ft; to	
		urce of possible c		7. Pit pri	ivv	10	. Livestoo	k pens	13 Inse	cticide storage	15. Oil well/	Gas well
1. Septic tai		4 Latera			ge lagoon		l. Fuel sto	-		· · · · · · · · · · · · · · · · · · ·	16. Other (s	
2. Sewer lin	es	5. Cess						-	14. Abai	ndon water well		,
3 Watertigh			age pit	9. Feed	yard	12	2. Fertilize	r storage	134.54		ft alus	
Direction from		South	LITUOLO				Гиана	т. т	How	many feet? 10	OGIC LOG	
	<u>To</u>	Amerika M	LITHOLOG	OIC LUC	J		From	То		LITHOLO	JGIC LOG	,
3	3 18	topsoil clay	<u></u>		···········						ani and in the state of the sta	* * _ * _ * _ * _ *
18	45	fine sand		· · · · · · · · · · · · · · · · · · ·			4-14-1					
45	65	medium sand	d									
					 							
								 	 	·		
		<u> </u>		··			<u> </u>	-				
		 						1	,			
								1	; ;,			
7 Contract	tor's or l	_andowner's Certit	fication: This wa	ater well wa	as 1. cons	tructed) 2. re	constructed	or 3.	plugged	under my jurisdic	tion and
		(mo/day/year)	2/4/201						knowledge ar		• *	
				- •				•	_		75.61.4	
Kansas Wa	ter Wel	Contractor's Licer	nse No. 236		This v	vater wel	ıı record w	as completed	on (mo/day/)		/2014	
under the b	usiness	name of Harp	Well and I	Pump Se	rvice		by (s	ignature)	7	rodds	. Harr)
				-						C VVVV C		<u> </u>