						. <u></u>			
		ATER WELL R	ECORD	Form W		SA 82a-1212			
1 LOCATION OF WATE		NE 1/4 NW	1/4. NV	i i	CTION NUMBER	T 26	NUMBER S	RANGE NUM	
	m nearest town or city street			W 1/4	33	1 20	3 1	N IW	E/ VV
3720 N. Pepp		Wichita, Kans							
2 WATER WELL	provide the following and the control of the contro	MEYER CONST		N	**************************************				
RR#,ST. ADDRESS							Board of Agricu	lture, Division of Wa	ter Resource
CITY,	STATE: Wichita,	Kansas	and the second second		ZIP CODE:		Application Number	er:	
3 LOCATE WELL'S LO WITH AN "X" IN SEC	DCATION 4 DEPT	TH OF COMPLETED V	WELL:	<b>65</b> f	Ĺ	ELEVATION:			
WITH ANY A 114 SEC	Depth of	f groundwater Encoun			ft.		ft.		ft.
X	WELL'S	STATIC WATER LEV	VEL 12	FT. BEI	OW LAND SU	JRFACE MEASUF	RED ON mo/da	y/yr: 1/24/	14
r M.M	NE-: - :-	Pump test d		water was		ft. after		f pumping @	gpm
Wile		t. Yield: gpm		water was	<b>65</b> ft	ft. after		of pumping @	gpm
<b>E</b> w	1 1 1 .	lole Diameter  WATER TO BE USED		το	<b>65</b> ft	. and	in.	to 11. Inject	ft. Ion well
sw		nestic 3. Feedlot	5. Public	water suppl	y Z Lawn	and garden only	9. Dewatering	12. Other (Spe	
	2. Irri	gation 4. Industri		d water sup		nditioning	10. Monitoring	well	
S	1.75	chemical/bacteriological s	sample submitted	to Department		NO		nat mo/day/yr wa	
5 TYPE OF CAS	submitt	90				Water Well Disinfe	>		
5 TYPE OF CAS	3. RPM (SR)	5. Wrought Iron	7. Fibergla	200	Other (Specif	y below) CASII			Threaded Clamped
2. PVC	> 4 ABS	6. Asbestos-Cemen	t 8. Concre	te tile S	DR-26		,	vvoided	Ciampeu
Blank casing diamet	er 5 in.	to 40 f	t., Dia.	in.	to	ft., D	ia. in	. to	ft.
Casing height above	e land surface:	12 in.,	Weight:	2.35	lbs. / ft.	Wall thic	kness or gauge	No214	
,	OR PERFORATION MA	TERIAL:							
1. Steel	3. Stainless Steel	5. Fiberglass	7. PVC	9	ABS	11. Oth	er (specify)		
2. Brass	4. Galvanized	6. Concrete Tile	8. RMP (SI	R) 10	. Asbestos-Ce	ment 12. Non	e used (open h	ole)	
SCREEN OR PERF	DRATION OPENINGS A	RE:							
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut						9. Drille	d holes	11. None ( op	en hole)
2. Louvered shutt	er 4. Key punch	ned 6. Wire wra	apped	8.	Saw cut	10. Other	r (specify)		
SCREEN - PERFOR	ATION INTERVAL	From 40	ft.	to <b>60</b>	ft.,	From	ft,	ťo	ft.
		From	ft.	to	ft.,	From	ft,	to	ft.
GRAVEL PA	ACK INTERVALS:	From 24	ft,	to 65	ft.,	From	ft.	to.	ft.
		From	ft.	to.	ft.,	From	ft.	to	ft.
6 GROUT MATER	RIALS: 1. Neat cem	ent 2 Cc	ment Grout	<del></del>	3. Bentonit	a (	Other bento	nite hole plu	
Grout Intervals:		t. to <b>24</b>	ft., Fro	m	ft to	ft.,	From.	ft. to	ь ft,
What is the nearest s	ource of possible contar	mination:			tock pens			15. Oil well/Ga	
1. Septic tank	4. Lateral line						ide storage	16. Other (spe	
2. Sewer lines	5. Cess Pool		_	11. Fuel	<del>-</del> .	14. Abando	n water well	io. Other (spe	city below)
3. Watertight sew		it 9. Feed y	ard	12. Fertil	zer storage	العمد بالمال	ny feet? 10 ft	- mline	
Direction from well? From To		HOLOGIC LOC	<u></u>	Fror	n To	How ma	LITHOLO		<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>
From To	topsoil	TIOLOGIC LOC	9	1.101	11 10	<del></del>	<u> LITTIOLO</u>	OIO LOO	<del> </del>
3 12	clay								
12 32	fine sand							<u> </u>	
32 34	clay	<u> </u>	<del> </del>				<u> </u>		·
34 60	medium sand	<del></del>					<u></u>	·	<u></u>
60 65	fine sand						<u> </u>		
	<u> </u>								
								<u> </u>	
						<del> </del>	····		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			ii.						
7 Contractor's o	Landowner's Certification	on: This water well wa	s 1. constru	cted 2.	reconstructe	ed or 3. I	olugged u	ınder my jurisdicti	on and

1/24/14 and this record is true to the best of my knowledge and belief. was completed on (mo/day/year) 1/27/14 This water well record was completed on (mo/day/year) Kansas Water Well Contractor's License No. 236

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp