WATE	R WEI	LL RECORD	For	m WW	C-5	Division of Wate	r Resources App. No),		
1 LOC	ATION	OF WATER WELL:	Fraction			Section Number	Township No.	Range Number		
County: Sedgwick					4 SW 1/4	34	T 26 S		<u>]W</u>	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude:				
from nearest town or intersection: If at owner's address, check here						Longitude: (in decimal degrees) Longitude: (in decimal degrees)				
						Elevation:				
						Datum: WGS 8	4, □ NAD 83, □	NAD 27		
2 WATER WELL OWNER: Chris Miller						Collection Method:				
RR#, Street Address, Box #: 3423 W. Shadow Lakes Ct.						☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Wichita. KS 67205									еу	
Est. Accuracy:										
	H AN "X	" IN 4 DEPTH OF C	COMPLETED	ft.			_			
SECTION BOX: Depth(s) Groundwater Encountered (1).15 ft. WELL'S STATIC WATER LEVEL.15 ft. below							ft. (3	3)	ft.	
l		WELL'S STATE	ft. after	measured on mo/da	iy/yr					
'		FOR MELD 20	onm We	ft after	hours pum	ninggp ning gr	m m			
EST. YIELD. 20gpm. Well water wasft. after Bore Hole Diameter 10in. to .60ft., and							to	ft.	•••	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
sv	Sw SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
''	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
	S If yes, mo/day/yr sample was submitted									
water went distintected? We les 100										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter .5. in. to .60. ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface .12. in., Weight 2.5. lbs./ft., Wall thickness or gauge NoSDR26.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
☐ Continuous stot ☐ Idiaze wrapped ☐ Forch cut ☐ Drifted holes ☐ Notife (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From40										
From ft. to ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From										
From										
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)										
Sewer lines										
D:=00	Watertig	South	t		Fertilizer sto	orage		•••••	••••	
FROM	TO	LITHOLOG	CLOG		FROM			GGING INTERVA		
0	3	Topsoil	ic Loc		ROM	TO EITHO. EX	od (cont.) or 1 Bo	CONTO II TEREVI	<u></u>	
3	10	Clav								
10	35	Coarse Sand								
35	38	Clay								
38	60	Medium Sand								
7.000	 	OR'S OR LANDOWNER	'S CEDTIEIC	ATION	This water	r well was 12 const-	ncted reconstr	icted or Dalugge	d	
under my jurisdiction and was completed on (mo/day/year) .03/07/20.14 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) .03/10/2014										
under th	e busine	ss name of Premier Pun	np & Well Ser	vice, Inc.		by (signature)	assera SL	lleez		
INSTRUC		Use typewriter or ball point pen.							y to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										

http://www.kdheks.gov/waterwell/index.html