			RECORD Correction		WWC-5 Note in Well Use			ivision of Wa sources App.		,	Well ID			
	LOCAT		VAJER WEI		Fraction 1/4	1 8E		ection Numb		Township Numb	***************************************	ige Number		
2			Last Name:	Loit	First:	14 0 - 1-/4	Street or R		s whe	re well is located				
	Business: Address:	510		-	n siel	200				rsection): If at owne	,	_		
	Address: City:	wich	et		2 ZIP: 67	·	5	107 -	رر	Harlo	siel	oct		
3	LOCATI		4 DEPTH	OF COM	1PLETED V	ft. 5 Lati	itude:			(decimal degrees)				
		TITH "X" IN Depth(s) Groundwater Encountered: 1) ft							Longitude:(decimal degrees)					
	N	·		WELL'S STATIC WATER LEVEL:					Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27 Source for Latitude/Longitude:					
					, measured on			∵′ ′ □	GPS (1	unit make/model:				
	NY	NE		above land surface, measured on (mo-day-yr) Pump test data: Well water was						(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
W	71	E SE	afterhours pumpinggpm											
	sw			after hours pumping gpm										
			Estimated Yield:							Devel TOC				
	1 m	nile		in. to ft.					Other					
	7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID													
	Housel] Household 6. ☐ Dewatering: how many wells?							11. Test Hole: well ID					
		Lawn & Garden 7. Aquifer Recharge: well ID							☐ Cased ☐ Uncased ☐ Geotechnical					
	_	Livestock 8. ☐ Monitoring: well ID Irrigation 9. Environmental Remediation: well ID							Geothermal: how many bores? a) Closed Loop ☐ Horizontal ☐ Vertical					
	_	☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction							b) Open Loop Surface Discharge Inj. of Water					
	4. Industrial Recovery Injection 13. Other (specify):													
W	Water well disinfected? Yes No													
8	8 TYPE OF CASING USED: ☐ Steel MPVC ☐ Other													
Casing diameter														
TYPE OF SCREEN OR PERFORATION MATERIAL:														
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)														
SCREEN OR PERFORATION OPENINGS ARE:														
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)														
SCREEN-PERFORATED INTERVALS: From it. to it., From it., From it., From it.														
GRAVEL PACK INTERVALS: From														
9 GROUT MATERIAL: ☐ Neat cement														
	earest sour	-	ole contaminati	i on: Lateral Line	ъе Пр	Pit Privy	_	Livestock I	Denc	□ Insecti	cide Storage			
	☐ Septic		_	Cess Pool	_	Sewage La	igoon [Fuel Storag	ge	☐ Aband	loned Water			
Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well														
D	rection fro		rsew		Distan	ce from w		201		ft				
10	FROM	ТО	I	LITHOLO	OIC LOC		FROM	TO	LIT	HO. LOG (cont.) o	r PLUGGIN	G INTERVALS		
-	8	17	= 7	ino	Ton	X.	-	1		· · · · · · · · · · · · · · · · · · ·		- V		
	77	* 35	- / त्	ours	Q . T.	·	dan							
									-					
											119	Periode and the second		
							Notes:							
	i						\dashv							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was A constructed, \square reconstructed, or \square plugged under my jurisdiction and was completed on (mo-day-year). And this record is true to the best of my knowledge and belief.														
Kansas Water Well Contractor's Accesse No														
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas														
		Department of I	Health and Environm	nent, Bureau of			0 SW Jackson St	., Suite 420, Top		constructed well along w isas 66612-1367. Teleph	none (785) 296-3	3565.		
	Visit us	at http://www.ke	dheks.gov/waterwell	/index.html			KSA 82a	-1212			Revis	sed 9/10/2012		