WATER WELL R	ECORD Form WWC-5 Correction Change in Well Use		ion of Water rces App. No.		Well ID	
1 LOCATION OF W.	ATER WELL: Fraction	Secti	on Number	Township Numb		
1	OUNCIL 14NW1/2 8W1	48E1/4 .	29	T DL S	R □E D/W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and						
Business:	direction from ne	nearest town or intersection): If at owner's address, check here:				
Business: Trademark Inc. direct Address: 201 N Wathlewson			39005 Sage Ct			
7 1001033.	with State: KS ZIP: 67214		WIZ	es Ks	0710	
		ð 2000		1 1000		
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL:		5 Latitude	<u>:</u>	(decimal degrees)	
SECTION BOX:	Depth(s) Groundwater Encountered: 1)		Longitue	de:	(decimal degrees)	
N	2) ft. 3) ft., or 4)					
	WELL'S STATIC WATER LEVEL:			Source for Latitude/Longitude:		
	below land surface, measured on (mo-day-yabove land surface)					
NW NE	Pump test data: Well water was ft.			(WAAS enabled?		
w			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
	Well water was			пе тиаррег,		
afterhours pumpinggpm						
	Estimated Yield:25gpm				. Ground Level TOC	
S	Bore Hole Diameter: in. to				GPS Topographic Map	
1 mile	in. to	ft.	<u> </u>			
7 WELL WATER TO BE USED AS:						
1. Domestic:	5. Public Water Supply: well ID				ease	
☐ Household ☑ Lawn & Garden	6. ☐ Dewatering: how many wells?7. ☐ Aquifer Recharge: well ID			e: well ID		
Livestock	8. Monitoring: well ID					
2. Irrigation	ID					
3. Feedlot	☐ Air Sparge ☐ Soil Vapor				ischarge	
4. Industrial	Recovery Injection				,	
Was a chemical/bacteriological sample submitted to KDHE? Yes Vo If yes, date sample was submitted:						
Water well disinfected? No.						
8 TYPE OF CASING USED: Steel PVC Other						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot						
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)						
SCREEN-PERFORATED INTERVALS: From ft to ft From ft From ft to ft From ft to ft From ft to ft From ft to ft From ft From ft to ft From ft to ft From ft to ft From ft to ft From ft From ft to ft From ft						
SCREEN-PERFORATED INTERVALS: From						
9 GROUT MATERIA	AL: Neat cement Cement grout	Rentonite	her			
Grout Intervals: From						
Nearest source of possible contamination:						
Septic Tank	☐ Lateral Lines ☐ Pit Privy		ivestock Pens		icide Storage	
Sewer Lines	☐ Cess Pool ☐ Sewage I		uel Storage		loned Water Well	
Watertight Sewer Li			ertilizer Storag	ge ∐ Oil W	ell/Gas Well	
Other (Specify) Direction from well? Distance from well? ft.						
10 FROM TO	LITHOLOGIC LOG	FROM			or PLUGGING INTERVALS	
0 1	7700 801					
TIVO	Cidid					
1622	For saine					
22 36	med Gravel.					
36 4	Fine Sand.					
44 100.	Masand					
		Notes:	4000000			
				<u></u>	- Promise -	
11 CONTRACTOR'S	S OR LANDOWNER'S CERTIFICATION	N: This water	well was	constructed, rec	constructed, or legged	
under my jurisdiction a	ind was completed on (mo-day-year)	Water Wall Page	nis record is t	rue to the best of the	ny knowledge and belief.	
under the husiness nam	ntractor's License No. 8.8.1	valer well keed	LAA	LALON	y vai)	
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas						
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.						
Visit us at http://www.kd	heks.gov/waterwell/index.html	KSA 82a-12	12		Revised 9/10/2012	