		WATER	R WELL	RECO	RD F	orm V	VWC-5	KSA 82a	-1212					
1 LOCATION OF WATER WELL: FRACTION							ECTION NUM					RANGE NUMBER		
Sedgwick		SE	1/4 NV	V 1/4	NE	1/4	27	Т	26	s	R 1V			
	from nearest town or city	y street address	of well if locat	ed within ci	ity?									
6234 N. Ko			ita,Kansa			57205								
2 WATER WEI		JE CUSTO			C				0		5111111111			
RR#,ST. ADDRE		S. Breezy		ircle				(#00#	Воа	ard of Agriculture	, Division of V	Vater Resource		
		hita, Kans				^	ZIP CODE			ation Number:				
3 LOCATE WELL'S	SECTION BOX:	DEPTH OF C			4	U	ft.	ELEVATI	ON:					
	N De	epth of ground	lwater Encou	ıntered:			ft.		f	t.		ft.		
		ELL'S STATI	C WATER L	EVEL	14		LOW LAND	SURFACE M	EASURED C	ON mo/day/yr:	6/3	/14		
NW	X <sub>NE</sub>	=	Pump test		Well wa			ft. aft		hours of pu		gpm		
w Wile		Est. Yield:	gr	1.0	Well wa		40	ft. aft		hours of pu		gpm		
5 "	1 ' 1 1	Bore Hole Dia 'ELL WATER	-		n.	to	40	ft. an		in.	to	ft.		
sw	i   1	1. Domestic	3. Feedle		Public wa	ter supp	ly 7. Lav	vn and garder	9. D	ewatering	-	ction well pecify below)		
	2	2. Irrigation	4. Indust					conditioning		onitoring we		pecity below)		
		Was a chemical	/bacteriologica	l sample s	ubmitted to !	) Departmen				If yes, what r		vas sample		
		ubmitted					W	as Water Well	Disinfected?	YES	)	NO		
5 TYPE OF 0	ASING USED: 3. RPM (SI	E) 5. Wro	ought Iron	7. 1	Fiberglass	9	. Other (Spe	ecify below)	CASING JO	_	_	Threaded		
2. PVC	4. ABS	•	estos-Ceme	ent 8. (	Concrete t	ile S	DR-26			Weld	led	Clamped		
Blank casing dian		in. to	30	ft.,	Dia.	in.	. to	ft.,	Dia.	in.	to.	ft.		
Casing height ab	=	10	n.,		eight:	2.35	lbs. / ft.	·			to	π.		
	N OR PERFORATION			**	eigiit.	4.55	IDS. / IL.	V	vali inickness	or gauge No.	.214			
1. Steel	3. Stainless Steel	5. Fiberç		7. P	vc>	g	. ABS	1	1. Other (spe	ecify)				
2. Brass	4. Galvanized	6. Concr	rete Tile	8. R	MP (SR)	10	. Asbestos-	Cement 1	2. None use	d (open hole)				
SCREEN OR PER	FORATION OPENING	GS ARE:												
1. Continuous s	lot 3. Mill si	lot	5. Gauzeo	l wrappe	d	7.	Torch cut	9	Drilled hole	s 1	1. None ( c	pen hole)		
2. Louvered shu	itter 4. Key p	unched	6. Wire w	rapped		(8.	Saw cut	) 10	. Other (spe	cify)				
SCREEN - PERFO	RATION INTERVAL	From	30	ft.	to	40	ft.,							
OUNCE TENT	TO THE TENTAL	From	50	ft.	to		,	From		t.	to	ft.		
GRAVEI	PACK INTERVALS:		24		to		ft.,	From		t.	to	ft.		
GIVAVEE	FAOR INTERVALS.	From	47			-	,	From	f	t.	to	ft.		
_		From		ft.	to	) <del></del>	ft.,	From		t.	to	ft.		
6 GROUT MATI	1. INCOL	cement		ement G			3. Bentoi	nite	Other	bentonite	hole plu	ug		
Grout Intervals What is the neares	From 4 t source of possible co	ft. ontamination:	to <b>24</b>	ft.,	From		ft. t	to f	t., Fror	n ft.	to	ft.		
1. Septic tank	4. Latera		7. Pit pr	ivy	1	0. Lives	tock pens	13. ln	secticide st	orage 15	. Oil well/G	as well		
2. Sewer lines	5. Cess F	Pool	8. Sewa	ge lagoo	n 1	1. Fuel s	storage	14. <b>A</b>	bandon wat	erwell 16	. Other (sp	ecify below)		
3. Watertight se	wer line 6. Seepa	ge pit	9. Feed	yard	1	2. Fertili	zer storage	•						
Direction from wel								Ho	ow many feet	? 10 ft. pl	us			
From To		LITHOLO	GIC LO	3		Fron	n To		LITI	HOLOGIC	LOG			
0 3	topsoil					ļ								
3 10 10 18	clay fine sand					ļ								
18 40	medium sand	i				ļ <u> </u>								
		<b>4</b>												
		.,				ļ								
						<b></b>								
												•		
						<del> </del>	<u> </u>							
		····												

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 6/3/2014 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 6/5/2014

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp