WATER WE	LL RECORD	Form W	WC-5	Divisio	n of Wate	r Resources App. No	o. L		
		Fraction		Section N		Township No.	Range N		
County: Sec			V 1/4 SW 1/4			T 26 S		□E ØW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
	town or intersection: If at	owner's address, chec	k here 🔲.	Latitude:			(in deci	mal degrees)	
8513 W. Candlewood Ct.				Longitude (in decimal degrees)					
Wichita, KS 67205					Elevation:				
2 WATER WELL OWNER: Vision Homes					Collection Method:				
RR#, Street Address, Box #: Box 224					GPS unit (Make/Model:)				
City, State, ZIP Code : Colwich, KS 67030				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
				Est. Accur	<u>acy</u> :	3 m, ☐ 3-5 m, ☐	5-15 m,] >15 m	
3 LOCATE WI	ELL A DEPTH OF	COMBLETED WEL	. 40						
.,	TH AN "X" IN 4 DEPTH OF COMPLETED WELL 40								
SECTION BO	Depth(s) Groundwater Encountered (1).8 ft. (2)								
	Pump test data: Well water was								
EST. YIELD. 20gpm. Well water was									
W Bore Hole Diameter 10 in. to .40 ft. and in. to									
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection wel!									
Domestic Feedlot Oil field water supply Dewatering							Other (Spec	cify below)	
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☑ Yes ☐ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 5. in. to .40. ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface12									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From 20 ft. to 40 ft., From ft. to ft.									
From									
GRAV	EL PACK INTERVALS:								
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
What is the nearest source of possible contamination:									
Septic tank									
Sewer li	Sewer lines								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well South ☐ Distance from well									
	m well South	***************************************					CODICE		
FROM TO	LITHOLOG	IC LOG	FROM	TO L	THO. LC	OG (cont.) or PLU	GGING IN	TERVALS	
0 3	Topsoil		 			·			
3 15 15 40	Clay Medium Sand		 			,			
13 40	Wedium Sand		 						
 			 						
 			 						
			 						
	· · · · · · · · · · · · · · · · · · ·		1						
							· · · · · · · · · · · · · · · · · · ·		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .8/14/2014 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 8/14/2014 by (signature) by (signature)									
under the busine	ss name of Premier Pur	np & Well Service, I	nc.	by (signa	tu l re Q	and the	Q		
INSTRUCTIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRML	Yand <u>PRINT</u> cl	early. Please fi	ll in blanks	and check the correct a	66612 1262	id one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
	• •								